

92.04.28

SAFER'S INSECTICIDAL SOAP READY TO USE

For control of aphids, mealybugs, spider mites, whitefly, soft brown scale, psyllids, rose or pear slugs (sawfly larvae), and earwigs on houseplants, roses, flowers, vegetables, fruits, ornamentals, shrubs, trees or greenhouse plantings; in or around the house or home.

Kill insects on contact. Can be used indoors or outdoors.

GUARANTEE:

Soap (Potassium salts of fatty acids).... 2%

REG. NO. 22204 PEST CONTROL PRODUCT ACT

READ THE LABEL BEFORE USING

Net Contents mL, L

DOMESTIC

SAFER LTD.

SCARBOROUGH, ONTARIO M1B 2K4

DIRECTIONS: Made of selected soaps that have contact insecticidal properties. Insects must be sprayed directly to achieve control.

Apply product as supplied in trigger spray bottle. Product may be used on fruit and vegetables up to and including the day of harvest. Wash fruit and vegetables before eating.

INSECTS CONTROLLED:

APHIDS: Aphids fly outdoors from early spring throughout the summer. Aphids occur year round on plants indoors. Spray when first sighted on buds, shoots, stems and the undersides of leaves. Aphids must be contacted to be controlled. Repeat applications (spray) weekly for 2-3 weeks and thereafter as

required.

MEALYBUGS: Found on all plant parts. Spray when sighted on buds, shoots, stems and the undersides of leaves. Mealybugs must be contacted to be controlled. Apply (spray) weekly for 2-3 weeks and thereafter as required.

WHITEFLY: These tiny moth-like insects can be found throughout the year on the undersides of indoor plants and throughout the growing season on outdoor plantings on buds, shoots, stems and the undersides of leaves. Apply (spray) weekly for 2-3 weeks and thereafter as required to control the scale-like larvae hatching from eggs and adult flies.

SPIDER MITES: Mites are tiny spider-like creatures with 8 legs which feed on plant juices causing yellowing and browning of leaves. Spider mites are often first observed by the webs they spin on the leaves and buds of plants. Apply (spray) weekly for 2-3 weeks and thereafter as required. Foliage should also be misted with water daily until mite control is achieved.

EARWIGS: Earwigs are dark brown crawling insects approximately 2.5 cm (1 inch) in length. They can easily be identified by the pincer that extends from the rear of the body. Earwigs hide in plants, garden mulch, and crevices during the day and feed at night. They feed on a wide variety of plants leaving holes in the foliage. For control, spray at dusk or in the evening in all areas where earwig damage is evident. Spray all plants thoroughly including the soil. If spraying at night a light may be used to identify infestations. Repeat applications as required.

SOFT BROWN SCALE: Scale crawlers are killed on contact. Staggered hatching of crawlers requires 2-3 spray applications to achieve control. Spray or apply at 7-10 day intervals as required.

ROSE AND PEAR SLUGS (SAWFLY LARVAE): Spray both leaf surfaces to achieve control. Insects must be sprayed directly to achieve control. Watch for a second generation to appear and repeat application as required.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Concentrated soap may cause eye irritation. Avoid eye contact. May cause skin irritation. Do not use on sweetpeas, nasturtiums, delicate ferns or impatiens. If in doubt about a sensitive species, perform a small-scale test spray before treating entire plant. Do not apply to plants in direct sunlight. To maximize blossom longevity, avoid spraying blossoms during the heat of the day.

DISPOSAL: Do not reuse empty container. Dispose of container in household garbage.

FIRST AID: If in eyes, flush with plenty of water. If concentrate gets on skin, rinse with water. If inhaled, remove from area. If ingested, give demulcent (milk) and consult physician.

The active ingredients in this product are specially selected soaps. No other pesticides are added.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))