

85.12.31

DYLOX(R)

5% GRANULAR BAIT

CROP INSECTICIDE

Contains trichlorfon

COMMERCIAL

FOR CONTROL OF CORN BORER

GUARANTEE: Trichlorfon.....5%

NET WEIGHT\_\_\_\_\_KILOGRAMS

REGISTRATION NO. 7647  
PEST CONTROL PRODUCTS ACT

CAUTION

KEEP OUT OF REACH OF CHILDREN

(See rear panel for first aid and caution statements)

READ THE LABEL BEFORE USING

CHEMAGRO LIMITED  
1355 Aerowood Drive  
Mississauga, Ontario, Canada L4W 1C2

DYLOX 5% Granular Bait

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the PEST CONTROL PRODUCTS ACT to use a control product under unsafe conditions.

DIRECTIONS FOR USE

DYLOX 5% Granular Bait insecticide is a special formulation for control of corn borer. It is readily applied with granular applicators normally used for corn applications.

RECOMMENDED APPLICATIONS

CROP	INSECT	Kilograms DYLOX 5% Granular Bait per Hectare	REMARKS
Corn (Field, Sweet, Popcorn)	Corn borer	32.5 to 45	Apply specified dosage per hectare when 1/2 to 3/4 of plants show insect feeding in whorl. Repeat at 7-day intervals as required. Do not apply within 28 days of harvest. Do not feed husks, ensilage, or fodder to livestock.

CAUTION

May be harmful if swallowed, inhaled, or absorbed through the skin, Avoid contact with skin. Do not breathe dust. Wash thoroughly with soap and warm water after handling. Wash contaminated clothing with soap and hot water before reuse.

Do not contaminate feed or food. Keep out of reach of children.

FIRST AID: In case of poisoning call a physician immediately. Have patient lie down and keep quiet. If swallowed, vomiting should be induced. Administer milk or water freely and induce vomiting by giving one dose (15 mL) mL of syrup of ipecac. If vomiting does not occur within 10 to 20 minutes, administer second dose. If syrup of ipecac is not available, induce vomiting by sticking finger down throat. Repeat until vomit fluid is clear. The patient should be lying down with the head below the foot level and facing down or to one side. Professional medical assistance should be secured immediately. DO NOT INDUCE VOMITING TO AN UNCONSCIOUS PERSON OR TO PERSONS IN A CONVULSIVE STATE. If on skin, remove contaminated clothing and wash skin immediately with soap and warm water. If eyes are contaminated, wash immediately with flowing water for at least 15 minutes.

TOXICOLOGICAL INFORMATION: The compound inhibits cholinesterase resulting in stimulation of the central nervous system. This results in a sense of "tightness" in the chest, sweating, contracted pupils, stomach pains,

vomiting and diarrhea. The antidote is atropine sulfate administered in large therapeutic doses repeated as necessary to the point of tolerance, 2-PAM is also antidotal and may be administered in conjunction with atropine. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

DYLOX 5% Granular Bait

NOTICE

Seller's guarantee shall be limited to the terms set out on the label and, subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

DYLOX is a Reg. TM of Bayer AG.

Printed in U.S.A.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))