85.12.31

Specimen Label

Tordon\* 10K Pellets

Systemic Brush Killer

Size No. 3

Contains picloram

INDUSTRIAL

READ THE LABEL BEFORE USING

GUARANTEE:

**REGISTRATION NO.16482** 

PEST CONTROL PRODUCTS ACT

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN

AVOID SKIN CONTACT

Wash face and hands after using.

FIRST AID

If in eyes flush out with flowing water. If on skin wash off with flowing water. If swallowed, induce vomiting by sticking finger down throat.

NOTE TO PHYSICIAN

Inert ingredient is clay. No specific antidote. Low in toxicity.

WARNING: Safety data and registration of this product are under review. Directions for use and cautionary statements should be carefully followed. Read the label before using.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the PEST CONTROL PRODUCTS ACT to use a control product under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the

risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

AGRICULTURAL CHEMICAL

Do Not Ship Or Store With Food, Feeds, Drugs or Clothing.

Dow\* DOW CHEMICAL CANADA INC. P.O. Box 1012, Sarnia, Ontario, Canada N7T 7K7

\* Trademark of The Dow Chemical Company

DIRECTIONS FOR USE

Apply TORDON 10K PELLETS brush killer in the spring or early summer before growth begins or during vigorous growth and when abundant moisture can be expected. Distribute TORDON 10K PELLETS uniformly as a spot or broadcast treatment to the soil over the roots of woody plants. Use ground or aerial application equipment as directed below.

Spot Treatment: Spot application is generally the preferred method of treatment for scattered or sparse stands of brush. Spread TORDON 10K PELLETS evenly on the soil over the entire root system (around the main stem) and outward to 30 cm beyond the branch tips (drip-line) as shown in the illustration. Use at the rate of 100 to 200 g per 10m2 of soil surface.

Broadcast Treatment: Broadcast treatment is the preferred method of treatment for dense stands of brush.

Rate of Application

Brush	Application Rate (kg product/ha)
Birch, poplar, cedar, basswood, pincherry, willow, wild rose and other susceptible species	40-50
Alder, maple, fir, spruce, pine	50-60
Tamarack, oak, blackgum	95

Use the higher rate for very dense stands of brush.

Ground application: Use TORDON 10K PELLETS at the rate of 40 to 95 kg/ha (approximately 400 to 950 g/100m2) and distribute evenly over the entire area where brush is to be controlled.

Aerial application: Apply TORDON 10K PELLETS to electrical rights-of-way, military bases, pipelines and firebreaks at a rate of 40-95 kg/ha. Do not apply by air in other locations.

## USE PRECAUTIONS

SENSITIVE PLANTS: Apply only as recommended to avoid injury to desirable plants. Avoid applications during windy periods when the product may be blown away from the area being treated or onto parts of desirable plants. Care must be taken to avoid contaminating any bodies of water. Where applicable, observe any local buffer zone or setback requirements.

STORAGE: Do not store near food, feedstuff, seeds, insecticides, fungicides and other pesticides or herbicides intended to be used on TORDON sensitive plants.

EQUIPMENT CLEAN-UP: Equipment used for applying TORDON 10K PELLETS brush killer should not be used for applying other materials to desirable plants. Clean equipment away from areas where the chemical or rinse water may contact the roots of desirable trees or plants.

CONTAINER DISPOSAL: The shipping container should not be reused. Dispose of empty container by burning or crushing and burying in non-cropland away from desirable plants or water supplies or deliver to an approved pesticide container disposal site.

NOTE: Be sure that all use of TORDON 10K PELLETS brush killer conforms to local regulations.

## 

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service. +))