

# Kemtreet 825

**LIQUID MICROBICIDE  
INDUSTRIAL  
READ THE LABEL BEFORE USING**

**REGISTRATION NO. : 26225  
PEST CONTROL PRODUCTS ACT**

**GUARANTEE:**  
Poly[oxyethylene(dimethyliminio)ethylene(dimethyliminio)-ethylene dichloride] ..... 15% (by weight)

NET CONTENTS:   liters

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water, food, or feed by storage or disposal.

**NOTICE TO USER:** This control product is to be used only in accordance with the directions on this label. It is an offense under the Pest Control Products Act to use a control product under unsafe conditions.

**NOTICE TO BUYER:** Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

**KEM Canada Mfg.  
4 Blair Drive. Brampton, Ontario  
L6T 2H5**

**BROAD SPECTRUM LIQUID MICROBICIDE  
FOR THE CONTROL OF ALGAE,  
BACTERIA AND FUNGI**

**NON FOAMING  
EFFECTIVE AT BOTH ACID AND  
ALKALINE pH**

## **DIRECTIONS FOR USE**

**1) Cooling Tower Systems:**  
Prior to use in water cooling towers, systems should be

cleaned to remove organic, inorganic and microbiological deposits. An initial slug addition of 280 to 700 mL per 10,000 liters of water should then be added to the sump of the cooling water towers. Repeat the initial dosage until control is evident. Subsequent slug additions of 80 to 700 mL per 10,000 liters of water should be added every 2 to 5 days or as needed. The frequency of addition will depend on the relative amount of bleedoff and the severity of the microbiological problem.

## **2) Industrial Air Washing Systems:**

Prior to use in air washers, systems should be cleaned to remove organic, inorganic and microbiological deposits. An initial slug addition of 100 to 160 mL per 1,000 liters of water should then be added to the sump or the water collector trays. Repeat the initial dosage until control is evident. Subsequent slug additions of 70 to 160 mL per 1,000 liters of water should be added every 1 to 5 days or as needed. The frequency of addition will depend on the relative amount of bleedoff and the severity of the microbiological problem. For use only in systems equipped with effective mist eliminating components.

Date Created: 03/23/06

## **PRECAUTIONS**

### **KEEP OUT OF REACH OF CHILDREN**

Harmful if swallowed. Avoid contact with eyes, skin, clothing and the contamination of food. Wear safety glasses (goggles), rubber gloves and body-protective clothing.

### **FIRST AID**

**Eye exposure:** Flush with clean, cool water for at least 15 to 30 minutes or longer till irritation subsides. See a physician if irritation occurs. **Skin exposure:** Wash with a mild soap and water. See a physician if irritation occurs. Remove and wash contaminated clothing (including shoes) before reuse.

**Inhalation:** Use proper respiratory protection to immediately remove the affected person from exposure. Administer artificial respiration if breathing has stopped. Keep at rest. Get prompt

medical attention. **Ingestion:** DO NOT INDUCE VOMITING. Rinse mouth with copious amounts of water or milk, first. Irrigate the esophagus and dilute stomach contents by slowly giving one (1) to two (2) glasses of water or milk. Avoid giving alcohol or alcohol related products. In cases where the individual is semi-comatose, comatose or convulsing, DO NOT GIVE FLUIDS BY MOUTH. In all cases, seek immediate medical assistance or contact the Poison Control Centre.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

**TOXICOLOGICAL INFORMATION:** Note to physician:  
Probable mucosal damage following ingestion may contraindicate gastric lavage.

### **DISPOSAL**

1. Triple or pressure rinse the empty container. Add the rinsings to the treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on disposal of unused, unwanted product contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.