

85.12.31

CARDICIDE

SPACE AND CONTACT INSECTICIDE

OIL SOLUTION

CONTAINS PYRETHRUM PLUS PIPERONYL BUTOXIDE

COMMERCIAL

READY TO USE - DO NOT DILUTE

READ LABEL BEFORE USING

A READY TO USE INSECTICIDE FOR THE CONTROL OF INSECT INFESTATION IN FOOD PROCESSING PLANTS - DAIRIES - RESTAURANTS - POULTRY FARMS - FLOUR AND FEED MILLS - WOOLLEN MILLS AND TEXTILE INDUSTRIES.

GUARANTEE: PYRETHRINS 0.30%  
PIPERONYL BUTOXIDE 1.50%

REGISTRATION NO: 2900 PEST CONTROL PRODUCTS ACT

NET CONTENTS 20 LITRES

Cardel Products Limited  
Box 126  
Brampton, Ontario  
L6V 2K7

DIRECTIONS FOR USE:

For the control of hard shelled insects such as: silverfish, cockroaches, flour weevils, beetles etc. Apply at the rate of 200 millilitres per 100 cubic metres, using a hand sprayer or similar equipment (not a fogger). Apply spray into all cracks, crevices and hiding places such as baseboards, moist areas, openings around sinks, drains, and pipes, behind cabinets, and in storage areas. Insects must be contacted by spray to be killed. Leave room closed for 20 - 30 minutes. Do not remain in treated areas.

For the control of flying insects such as mosquitoes, flies, gnats, wasps, moths or other small flying insects, apply at the rate of 100 millilitres per

100 cubic metres with suitable fog generating equipment.

For best results, close all doors and windows and shut off ventilating systems during treatment. Remove all animals from treatment area before using as a space spray.

Direct spray upwards to all parts of the room, especially windows and other light sources. Also direct mist into areas where insects are present. Spray only when temperature is under 32 degrees C. Keep area sealed for 30 minutes after each treatment.

Do not remain in treated areas. Ventilate treated areas thoroughly for at least 30 minutes before animal re-entry. Ensure proper ventilation after sealed areas have been treated. Following ventilation, clean up dead insects.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. FLAMMABLE MIXTURE. Product contains Petroleum Distillate. Do not store, pour or use near fire or flame. Wear mask or respirator when applying spray mist. Wear protective clothing. Harmful if swallowed, inhaled or absorbed through skin. Wash thoroughly with soap and water after handling. Do not contaminate feed, water or food stuffs. In food processing plants and food service establishments, apply only when plant is NOT in operation.

Remove all food before treatment. Cover all food processing surfaces and thoroughly clean with potable water before resuming operations. Do not use in milk processing plants or milk parlours. Do not use near birds, fish or pets. Do not spray on plastic or varnished surfaces. Do not spray closer than 1 m to fabric. Dispose of empty container in regular garbage.

FIRST AID: Product contains Petroleum Distillate. If swallowed, DO NOT induce vomiting. Obtain medical attention immediately. If in eyes, flush with plenty of water. If on skin, wash with soap and water. If irritation persists, obtain medical attention.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

LIMITATION OF WARRANTY: Seller's guarantee shall be limited to the terms set out on the label and subject thereto the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))