

stangard

ZINC WOOD PRESERVATIVE SOLUTION

Read the Label Before Using

WATER REPELLENT

CLEAR

DOMESTIC

DANGER

POISON

GUARANTEE:

ZINC AS ZINC NAPHTHENATE..... 2%

REGISTRATION NO. 18861  
Pest Control Products Act

Net Contents

STANCHEM

A DIVISION OF C.I.L. INC.  
60 TITAN ROAD, TORONTO, ONTARIO M8Z 2J8

"STANGARD" wood preservative solution contains 2% zinc as zinc naphthenate in petroleum solvents. Used for the treatment of dry wood and fabrics. Penetrates and preserves dry lumber such as beams, sub-floors, sills, foundations, joists, rafters, farm buildings, docks, boats, boat houses and wood in proximity to, or contact, with ground or water.

Recommended for use in greenhouses and wood in contact with growing plants. Wood treated with "STANGARD" will not injure plants provided that all solvents have evaporated from the treated wood before use. Treated wood can be painted after 24 hours. If left unfinished, repeated application in the future

will reinforce the treatment. Also preserved tents, tarpaulins, fabrics and ropes. Ready to use.

#### DIRECTIONS

Apply by dipping, brushing or spraying to clean dry wood free from all surface deposits such as dirt, paint, varnish, grease, etc. Dip for 1 to 3 minutes. Brush or spray: 2 liberal coats. Heavy lumber requires longer dipping time. Canvas, Fabrics and Ropes: dip, brush, sponge or spray thoroughly, fabric or rope. Do not use on rubber lined, impregnated or wet fabrics or ropes. Apply 1 litre per 10 to 12 square meters of light weight fabric. 3 to 5 square meter of heavy canvas or 3 to 5 kilograms of rope. For use on building interiors and farm houses. Recommended for use in greenhouses and horticultural lumber. Painted, sealed or varnished wood must be stripped before application. Treat all new cuts and trims. Apply 1 liter per 6 to 8 square meters depending on the porosity of the wood. Drying time: minimum 1 hour before handling. Wood may be painted as soon as surface is dry. Clean equipment with mineral spirits, the with detergent and water.

#### CAUTION

Keep container closed when not in use. Keep out of reach of children and domestic animals. Keep solution away from plants and foodstuffs. Solution toxic to all forms of life due to petroleum solvents. Harmful or fatal if swallowed. Avoid contact with skin, eyes and clothing. Good ventilation is necessary while treating. Wear synthetic gloves when treating and handling freshly treated wood. Do not use in saunas because of odor. To clean equipment rinse with detergent and water. Dispose of empty container with household garbage.

#### FIRST AID AND TOXICOLOGY

If on skin wash with soap and water. If irritation occurs, see physician. If in eyes, flush with water for 15 minutes and call physician. If swallowed, call physician or poison control center immediately. Do Not induce vomiting. Product contains zinc naphthenate and Petroleum distillates. If patient is unconscious, give him air.

#### NOTICE

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))