92.06.11

# R.K. GERMICIDAL CLEANER DETERGENT AND DISINFECTANT

CLEANER DETERGENT DISINFECTANT

FUNGICIDE (against
pathogenic fungi)

# DEODORIZER SANITIZER

### MILDEWSTAT (on hard inanimate surface)

### GUARANTEE

n-Alkyl (5% C12, 60% C14, 30% C16, 5% C18) dimethyl benzyl ammonium chlorides.....0.8% n-Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium chlorides.....0.8%

#### COMMERCIAL

ONLY FOR SALE TO, USE AND STORAGE BY SERVICE PERSONS

REGISTRATION NO. 22492 DIN 01950207 PEST CONTROL PRODUCTS ACT

KEEP OUT OF REACH OF CHILDREN

DANGER

READ THE LABEL BEFORE USING

R. KONZ PACKAGING 364 Tiffin Street, Barrie, Ontario L4M 4S9

## CAUTION

## CORROSIVE

NET CONTENTS: 4L

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

R.K. Germicidal Cleaner has been designed specifically for hospitals, offices, motels, nursing homes, schools, food processing plants and other institutions where housekeeping is of prime importance.

DISINFECTION: To disinfect hard inanimate surfaces such as walls, floors, table tops; apply solution with mop, cloth or sponge so as to wet thoroughly. Allow to remain wet for 10 minutes and then let air dry.

DILUTION RATES: General disinfection - add 35 mL R.K. Germicidal Cleaner per L of water. Hospital disinfection - add 50 mL R.K. Germicidal Cleaner per L of water.

To disinfect toilet bowls, flush toilet, add 175 mL R.K. Germicidal directly to the bowl water. Swab the bowl completely using brush or toilet mop, making sure to get under the rim. Let stand for 10 minutes and flush.

For heavily soiled areas, a pre-cleaning step is required and recommended. Prepare a fresh solution for each use.

MILDEWSTAT: To control mold and mildew on pre-cleaned, hard non-porous surfaces such as floors, walls, table tops, add R.K. Germicidal Cleaner per L of water. Apply solution with a cloth, mop, or sponge making sure to wet all surfaces completely. Let air dry. Prepare a fresh solution for each use. Repeat application at weekly intervals or when mildew growth reappears.

SANITIZATION: To sanitize previously cleaned and rinsed non-porous food contact surfaces, prepare 200 ppm active quaternary R.K. Germicidal solution by adding 13 mL R.K. Germicidal per L of water. To sanitize immobile items (such as tanks, chopping blocks, counter tops), flood the area with 200 ppm active quaternary R.K. Germicidal Cleaner solution or apply with a cloth or sponge making sure to wet all surfaces completely for at least 60 seconds. Let air dry. Prepare a fresh solution for each use. To sanitize mobile items (such as drinking glasses, eating utensils) immerse in 200 ppm R.K. Germicidal Cleaner solution for at least 60 seconds making sure to immerse completely. Remove and let air dry. Prepare a fresh solution daily or more frequently as soil is apparent.

# PRECAUTIONS HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS DANGER - CORROSIVE TO EYES

Keep out of Reach of Children. Cause severe eye and skin damage. Do not get in eyes, on skin or clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID: In case of contact immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes call a physician. Remove and wash contaminated clothing before reuse. If swallowed drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available drink large quantities of water. Avoid alcohol. Call a physician immediately.

TOXICOLOGICAL INFORMATION: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock respiratory depression and convulsion may be needed.

R.K. GERMICIDAL CLEANER is a heavy duty cleaner disinfectant and sanitizer designed for general household use, schools, motels, offices, kitchens food/processing plants and light industrials and hospital applications where heavy duty cleaning is of prime importance. When used as directed, R.K. GERMICIDAL CLEANER is formulated to disinfect inanimate hard surfaces such as walls, floors, sink tops, toilet bowls, tables, chairs and telephones. For larger areas such as patient care facilities and restrooms, the product is designed to aid in heavy duty cleaning disinfecting. R.K. GERMICIDAL is designed to aid in controlling the hazard of cross contamination in areas where heavy duty cleaning is necessary. When used as directed, R.K. GERMICIDAL CLEANER will remove most household dirt in a single application.

In addition, R.K. GERMICIDAL CLEANER deodorizes those areas which generally are hard to keep fresh smelling, such as garbage

storage areas, empty garbage bins and cans, toilet bowls and other areas which are prone to odors caused by microorganisms.

DISINFECTION: At 35 mL per L dilution, R.K. GERMICIDAL CLEANER exhibits effective disinfectant activity against the organisms Salmonella Choleraesuis Staphylococcus aureus, and Escherichia coli. At this level the product is also fungicidal against Pathogenic fungi trichophyton metagrophytes.

At 50 mL per L dilution R.K. GERMICIDAL CLEANER is an effective hospital disinfectant and demonstrates disinfectant activity against Pseudomonas aeruginosa. (Efficacy tests have demonstrated that R.K. GERMICIDAL CLEANER is an effective bactericide and fungicide in the presence of organic soil (5% blood serum).

MOLD AND MILDEWSTAT: R.K. GERMICIDAL CLEANER prevents and controls mold and mildew and the odors they cause on hard non-porous inanimate surfaces at 25 mL per L dilution.

SANITIZATION: When used for sanitization of previously cleaned food equipment or food contact items limit active quatemaries to 200 ppm. Heavily soiled areas should be precleaned and rinsed thoroughly before sanitization. R.K. GERMICIDAL CLEANER is an effective sanitizer when diluted in water up to 500 ppm hardness (CaCO3).

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage and disposal.

Storage - Store in a dry place no lower in temperature than 10 (deg C) or higher than 50 (deg C).

Rinse emptied container thoroughly and add the rinsings to treatment site.

Follow provincial instructions for any required additional cleaning of the container prior to its disposal or reconditioning.

Dispose of the container in accordance with provincial requirements.

For information on the disposal of unwanted product and the cleanup of spills contact the regional office of Environment Canada.

For small spills - Recover free liquid. Soak up residue with solids absorbent. DO NOT FLUSH INTO SURFACE STREAMS. INFORM ENVIRONMENT CANADA AS IN PREVIOUS PARAGRAPH.

Do not contaminate water, food or feed by storage and disposal.

Storage - Store in a dry place no lower in temperature than 10 (deg C) or higher than 50 (deg C).

### 

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))