

85.12.31

AVITROL (R)

SPARROW MIX

A CONCENTRATED BAIT FOR THE CONTROL OF SPARROWS, CERTAIN
BLACKBIRDS AND COWBIRDS IN, ON OR IN THE AREA OF STRUCTURES,
NESTING AND ROOSTING AREAS.

RESTRICTED

GUARANTEE:

4-AMINOPYRIDINE.....0.05%

REG.NO.12343 P.C.P. ACT

DANGER: POISON

READ THE LABEL BEFORE USING

NET CONTENTS: KILOS

MANUFACTURED BY
SANEX INC.
2695 SLOUGH STREET,
MISSISSAUGA, ONTARIO L4T 1G2

BRANCHES THROUGHOUT NORTH AMERICA

NOTICE TO USER: This control product is to be used only in
accordance with the directions on this label. It is an offence
under the Pest Control Products Act to use a control product
under unsafe conditions.

NATURE OF RESTRICTION: This product is to be used in the manner
authorized - provincial and federal regulations are in effect.
For use by, or under the supervision of government agencies or
pest control operators. Not for sale to the public.

DIRECTIONS FOR USE: Avitrol is a pesticide for the control of

certain species of pest birds. It is composed of a choice bird food impregnated an active bird management chemical. Birds ingesting Avitrol react with distress symptoms and calls. By limiting the amount of bait available to relatively few birds, the remainder of the flock can be frightened away from most roosts and feeding sites with a minimum of mortality. For best results the applications should be made at the proper time and place under the direction of trained personnel.

Prefeeding with untreated feeds of the same composition as the Avitrol carrier is usually essential to the effective deterrence of birds with Avitrol. Careful observation of bird habits should be made to establish proper feeding locations and to determine that no desirable or protected bird species are present that may feed on Avitrol. After pest bird feeding is established, immediately replace untreated grain with Avitrol. Repeat Avitrol treatment until bird numbers have been reduced to acceptable levels on the premises.

Avitrol grain is lethal to most birds that ingest enough to cause flock-frightening symptoms. To obtain the desired minimal mortality the distribution of Avitrol grain should be limited to scattered spot placements that will provide feeding opportunity for the necessary number of demonstrating birds. Using protective gloves, apply 450 g of blended bait (1 part Avitrol Corn Chops to 9 parts untreated cracked corn) in selected sites throughout the feeding area. Repeat treatment until bird numbers have been reduced to acceptable levels on the premises. Properly dispose of dead birds.

AVITROL MUST NOT BE EXPOSED IN ANY MANNER THAT MAY ENDANGER DESIRABLE AND PROTECTED BIRD SPECIES. IF THERE IS A QUESTION OF SUCH HAZARD, CONSULT LOCAL, PROVINCIAL AND FEDERAL GAME AUTHORITIES BEFORE UNDERTAKING BIRD MANAGEMENT WITH AVITROL, INVESTIGATE LOCAL LAWS THAT MAY PROHIBIT THE USE OF ANY TOXIC CHEMICAL IN BIRD CONTROL.

PRECAUTIONS: Keep out of reach of children and pets. May product toxic symptoms if swallowed or by contact with the skin. Handle with protective gloves. Wash thoroughly with soap and water after handling, before eating or smoking. Change to clean clothing after handling. Do not feed to livestock or chickens. Do not mix grain for livestock feed or for human consumption. Do not contaminate streams, lakes or ponds with this material. Do not allow this material to remain in unprotected places after control measures are completed. Do not use where food (grain or meat) will become contaminated.

FIRST AID: If swallowed, induce vomiting by inserting the finger into the throat area of the affected individual. Have patient

lie down and be quiet. Call a physician at once.

NOTE TO PHYSICIAN: Stomach lavage.

DISPOSAL PROCEDURE: Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))