

94.05.09

3M

PET FLEA FOAM

MICROENCAPSULATED

GUARANTEE/  
PYRETHRINS..0.15%.  
PIPERONYL BUTOXIDE TECHNICAL..1.30%

REG.NO. 23581 P.C.P. ACT

DOMESTIC

READ THE LABEL BEFORE USING. KEEP OUT OF REACH OF CHILDREN.

RESIDUAL FLEA AND TICK TREATMENT WITH QUICK KNOCKDOWN. FOR USE ON CATS. ALSO FOR DOGS THAT ARE SENSITIVE TO CONVENTIONAL SPRAYS. CONTAINS MICROENCAPSULATED PYRETHRINS FOR RESIDUAL ACTIVITY AND UNENCAPSULATED PYRETHRINS FOR QUICK KNOCKDOWN.

SHAKE WELL BEFORE USING.

CAUTION. EXPLOSIVE

283g

3M CANADA INC.,  
LONDON, ONTARIO  
N6A 4T1

CAUTION: Some animals, particularly cats and kittens, may be sensitive to insecticides. See "Directions for Use" for specific application information. If adverse reactions are observed(e.g., heavy salivation, lethargy, breathing difficulties, or other unusual reactions), bathe pet immediately in warm, soapy water. If symptoms persist, seek medical attention. Do not use on nursing females or on puppies and kittens under eight weeks of age. Because some animals, particularly cats and kittens may be sensitive to insecticides, do not exceed the recommended application rate on cats and kittens unless so advised by your veterinarian. Do not use on sick animals. Do not use on animals under drug or pesticide treatment. Before use on pregnant animals, consult your veterinarian.

SHAKE WELL BEFORE USING

DIRECTIONS FOR USE:

For use on dogs and cats only to control dog, fleas, cat fleas, American Dog ticks and brown ticks.

1. Start by applying a one-second burst of 3M Pet Flea and Tick Foam directly on haircoat near the pet's head, avoiding contact with the eye.
2. Repeat this procedure making sure to thoroughly moisten, but not soak, the entire haircoat. When applying to cats, use a one-second burst for each half kilogram your cat weighs. Usually 4-5 one-second bursts will cover a 2-3 kg cat. The amount required will vary with the size of the pet and density of the haircoat.
3. It is important to apply 3M Pet Flea and Tick Foam as evenly as possible over your pet's body because fleas will migrate to untreated areas(e.g., toes, footpads, around the ears, etc.).
4. Applying this product at the level described above will provide rapid flea kill and 8-day residual activity.
5. Allow your pet to dry. DO NOT TOWEL DRY AS THIS WILL REMOVE MANY OF THE 3M PET FLEA AND TICK FOAM MICROCAPSULES. (These microcapsules provide the insecticide's time-release residual activity.) A blow dryer works well to shorten the drying time.
6. If required, reapply 3M Pet Flea and Tick Foam weekly.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Avoid contact with eyes. Do not contaminate water, food or feed by storage or disposal. Wash hands after use and before eating or smoking.

FIRST AID: In case of contact with eyes, immediately flush with plenty of water. If irritation persists, get medical attention. If on skin, wash with soap and water. CAUTION: CONTAINS A PETROLEUM DISTILLATE. IF SWALLOWED DO NOT INDUCE VOMITING, SEE PHYSICIAN.

Contents under pressure. Do not puncture or incinerate container. Do not use or store near heat or open flame. Do not store below 0 deg C(32 deg F). Exposure to temperatures above 50 deg C(130 deg F) may cause bursting.

STORAGE AND DISPOSAL: STORAGE: Store in a cool dry place away from heat or open flame and inaccessible to children.

DISPOSAL: Do not re-use empty container. Do not puncture or incinerate. Press valve to release all pressure. Replace cap and securely wrap in several layers of newspaper and discard in trash.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes all risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

MADE IN U.S.A./FABRIQUE AUX E.-U.

HEALTH CARE PRODUCTS AND SERVICES DIVISION  
DIVISION DES PRODUITS POUR SOINS DE SANTE

3M CANADA INC.  
P.O.BOX/C.P. 5757  
LONDON, ONTARIO  
N6A 4T1

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))