

2000/2002

Later's
Slug & Snail Killer Bait

READY-TO-USE. NO MIXING. Formulated to attract and kill the giant Slugs and Snails of Western Canada. Remains effective after rain.

CAN BE USED AROUND VEGETABLES.

READ THE LABEL BEFORE USING

DOMESTIC

REG. NO. 06916 P.C.P. ACT

GUARANTEE: metaldehyde 4%

1 kg

Later Chemicals Ltd.
12080 Horseshoe Way
Richmond, B.C.
V7A 4V5

DIRECTIONS:

Later's Slug & Snail Killer Bait is formulated to attract and lure slugs and snails from their hiding places and kill them. This bait is particularly effective against blackstriped garden slugs, gray garden slugs and greenhouse slugs. The presence of slugs and snails can be detected by their shiny mucouslike trail. They are night feeders and prefer damp, cool places in the ornamental garden, under boards or flower pots, around fences, hedges and bushes and occupy damp places around vegetable plants.

KEEP PETS AWAY FROM TREATED AREAS AS THEY ARE ATTRACTED TO METALDEHYDE AND POISONING MAY RESULT.

HOW TO USE:

If ground is dry, water the area to be treated thoroughly. Do

not apply to plants or any edible crops. One application is usually sufficient. For heavy infestations, make 3 applications, 7-10 days apart.

BARRIER TREATMENT: To prevent slugs and snails invading your ornamental or vegetable garden, pour a thin barrier line of Later's Slug & Snail Killer Bait around the perimeter of the garden. Use approximately 250 g per 100 m² (10 m X 10 m).

BAIT TREATMENT: Place several small bait piles of bait piles in areas slugs commonly frequent. Also place bait between source of slugs and desirable plants. Be sure to treat compost heaps.

BROADCAST TREATMENT: Broadcast the bait over the soil in areas of heavy infestation.

GREENHOUSES AND LATH HOUSES: Distribute bait on or beneath benches around plants.

VEGETABLES: Apply to the soil surface around plants either as bait treatment or barrier treatment. Do not apply to the foliage or edible parts of the crop.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN AND PETS. Harmful if swallowed. Do not breathe dust. Wash hands after handling. Keep pets from treated areas as they are attracted to metaldehyde and poisoning may result.

FIRST AID: IF SWALLOWED, induce vomiting by giving 15 mL (1 dose) of syrup of ipecac. If not available give patient one to two glasses of water and cause vomiting by inserting a finger down the throat. Get medical attention immediately.

TOXICOLOGICAL INFORMATION: Ingestion may cause intestinal irritation, kidney and liver damage.

STORAGE: Keep product in original container. Store out of sunlight in a cool, dry place away from food, feed, poultry, and domestic animals.

DISPOSAL: Do not re-use container. Wrap container and dispose of in regular garbage.

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))