

Signed off by L. Austin 12/01/98 - remove one guarantee at next print

PRECAUTIONS**KEEP OUT OF REACH OF CHILDREN****HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS**

Can cause eye injury and skin damage. Harmful if swallowed, absorbed through the skin or inhaled. Do not get in eyes, on skin or clothing. **Skin contact with this pesticide may be hazardous: wear chemical-resistant gloves when mixing, loading or applying this product.**

Avoid breathing vapors or spray mist. Wear goggles or face shield when handling. Wash thoroughly with soap and water after handling and before eating or smoking. Remove contaminated clothing and wash before re-use. Avoid contamination of feed or foodstuffs. Do not take internally.

FIRST AID INSTRUCTIONS

IF SWALLOWED: Drink 1 or 2 glasses of water. Call a physician or a poison control centre and have the stomach emptied immediately. Do not induce vomiting or give anything by mouth to an unconscious person.

TOXICOLOGICAL INFORMATION: Because this product contains chlorinated hydrocarbon insecticide, vomiting is recommended. Probable mucosal damage may contraindicate the use of gastric lavage. Adrenergic amines may cause myocardial irritability in the presence of chlorinated hydrocarbons. This product contains xylene (petroleum distillate). Convulsions may be a prominent symptom of poisoning. Diazepam may be given orally to control convulsions. If intoxication is severe, consideration might be given to the parenteral administration of barbiturates. Avoid adrenergic amines.

IF INHALED: Remove victim to fresh air. Treat the victim symptomatically. Call a physician if problem continues.

IF ON SKIN: Wash exposed areas with plenty of soap and water. If irritation persists, call a physician.

IF IN EYES: flush eyes with plenty of water for at least 15 minutes. Contact a physician.

ENVIRONMENTAL HAZARD

This product is toxic to fish. Do not apply directly to lakes, streams, or ponds. Do not apply where run-off is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from areas treated. Apply this product only as specified on this label.

PHYSICAL AND CHEMICAL HAZARDS**FLAMMABLE**

Do not use, pour, spill or store near heat or open flame. Do not use in the vicinity of pilot lights. Do not smoke while spraying.

STORAGE AND DISPOSAL

Keep from freezing. Store at 0 deg to 45 deg C.

DISPOSAL

Rinse the emptied container thoroughly and add the rinsings to the spray mixture in the tank.

Follow provincial instructions for any required additional cleaning prior to its disposal.

Make the empty container unsuitable for further use.

Dispose of the container in accordance with provincial requirements.

For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the manufacturer.


RE-ENTRY AND WORKER PROTECTION STATEMENTS

Do not enter treated areas without protective clothing until sprays have dried. Do not apply this product in such a manner as to directly or through drift, expose workers or other persons. The area being treated must be vacated by unprotected persons without protective clothing until sprays have dried. In case of accidental exposure: Call a doctor (physician), poison control centre, clinic or hospital immediately. Explain that the victim has been exposed to KELTHANE EC and describe his condition. For further information refer to First Aid Instructions.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offense under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO THE BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or

property arising from the use or handling of this product and accepts the product on that condition.

**KELTHANE* EC****EMULSIFIABLE CONCENTRATE
MITICIDE****CONTAINS: DICOFOL
AGRICULTURAL****GUARANTEE**

GUARANTEE: DICOFOL 187.5 GRAMS PER LITRE

REGISTRATION NO. 6374

PEST CONTROL PRODUCTS ACT**WARNING**

POISON



FLAMMABLE

READ THE LABEL BEFORE USING

KEEP FROM FREEZING

*KELTHANE and the flask symbol are trademarks of Rohm and Haas Company, Philadelphia, Pa. Reg. in Canada under which Rohm and Haas Canada Inc. has been entered as a registered user

NET CONTENTS 200 LITRES

**ROHM AND HAAS
CANADA INC.**

2 MANSE ROAD • WEST HILL, ONTARIO
(416) 284-4711 M1E 3T9

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

Eliminate ignition sources. Ventilate area. Avoid breathing vapors. Use approved self-contained breathing apparatus or air mask for large spills in confined areas. Dike the spill with inert material (sand, earth, etc.) and transfer the liquid or solid diking material to separate containers for recovery or disposal. Remove contaminated clothing promptly and wash exposed skin areas with soap and water. Wash clothing before re-use. **Refer to Precautions.** Keep spill out of all sewers and open bodies of water. **IMPORTANT! CONTAINERS STILL HAZARDOUS WHEN EMPTY. DO NOT CUT WITH TORCH** - Product residues (vapor and/or liquid) are flammable and hazardous. All MSDS and label precautions must still be observed. In case of spills or for disposal of unwanted or unused product contact the Provincial Regulatory Agency or the manufacturer. Refer to **CAUTIONS.**

DIRECTIONS FOR USE

KELTHANE EC is effective for control of various agricultural mites. It has high initial kill and long residual activity. KELTHANE EC is a specific miticide and will not kill beneficial insect predators. It controls the following mite species: European red, Two Spotted (Red Spider), Six-spotted, Pacific, Atlantic (Strawberry), Cyclamen, Privet, Citrus Red (Purple), Citrus Flat, Schoene, Carpini (Yellow), McDaniel, Apple Rust, Pear Rust, Cherry Rust, Clover (Brown), Willamette and Spruce Mite.

KELTHANE EC is compatible with most other commonly used insecticides and fungicides and may be used in regular or concentrate sprayers. It should not be used with lime or with materials that are not compatible with solvent-based pesticides. KELTHANE EC should be applied thoroughly using sufficient water volume to cover all parts of the plant especially the undersides of leaves. Directions given below are of a general nature. Follow recommendations of local agricultural authorities on timing and application methods for your area.

RASPBERRIES: For mite control use 4.25 to 10 litres of KELTHANE EC per hectare in 1500-2000 litres of water in thorough coverage spray. Apply when mites are first detected.

ORNAMENTALS, FLOWERS, NURSERY STOCK: For mite control on Rose, Cyclamen, Carnation, African Violet, Azalea, Chrysanthemum, Hydrangea, Sweet Pea, Elm, Maple, Spruce, and various other ornamental flowers, trees and shrubs, use 1.25-2.50 litres of KELTHANE EC per 1000 litres of water (1.25 to 2.50 milliliters of KELTHANE EC per litre of water). Begin applications when mites are first noticed, apply thoroughly and repeat as necessary. Do not use dosages in frequent applications on tender roses, or other sensitive plants.

SUMMARY OF KELTHANE EC DOSAGE RATES PER HECTARE AND LIMITATIONS BETWEEN LAST APPLICATION AND HARVEST

CROP	Kelthane EC per hectare each application		Mixing Rate per 1000 litres Dilute Spray*	Days Before Harvest
	Small Plants	Large Plants		
Raspberries	4.25L	10.0L	1.75-2.5L	7
Ornamentals	--	--	1.25-2.5L	--

*Adjust water volume if concentrate sprays are used. Amount of spray applied per hectare must be adjusted to the size and number of trees or plants per hectare and the foliage density.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))