

2001/2006

Valent BioSciences Corporation
~~AgrEvo~~

Notification Change

**TETRALATE INDUSTRIAL
INSECTICIDE PRESSURIZED**

*** COMMERCIAL**

*** CONTAINS A COMBINATION OF TWO HIGHLY ACTIVE SYNTHETIC
PYRETHROID COMPOUNDS.**

GUARANTEE:

Tetramethrin0284%
Resmethrin*0284%

*Cis/trans isomer content: Max. 30% (+/-) cis and min. 70% (+/-) trans. TETRALATE - Registered Trademark of AgrEvo Environmental Health, Inc.

REGISTRATION NO. 16957 PEST CONTROL PRODUCTS ACT



CAUTION EXPLOSIVE

READ THE LABEL BEFORE USING

FIRST AID

IF ON SKIN: Wash thoroughly with soap and water.

IF IN EYES: flush with water. If irritation persists, obtain medical attention.

IF ACCIDENTALLY SWALLOWED, obtain medical attention or call poison control centre at once.

CAUTION:

KEEP OUT OF REACH OF CHILDREN

Do not spray on humans, animals, or near open flame. Remove or cover food, cooking utensils and fishbowls. Wash hands after use and before eating.

Store below 50°C and out of reach of children. Contents under pressure. Do not puncture or burn container. Do not place in hot water or near radiators, stoves or other sources of heat. Avoid inhalation and eye & skin contact. Avoid high temperatures or direct sunlight when spraying plants and immediately afterwards.

NET WEIGHT: grams

DIRECTIONS FOR USE

SHAKE WELL BEFORE USE. Point valve away from face and press button. Hold can at least 1 meter from surfaces which may stain and 50 centimeters from plants.

FOR CONTROL OF RESIDENTIAL INSECTS:

FLIES, MOSQUITOES, GNATS AND SMALL FLYING INSECTS: Direct spray at insects using short bursts (1 to 2 seconds) or treat unoccupied areas as follows. Close doors and windows. With a sweeping motion, direct spray upward to all parts of the room (3 seconds per 10 cubic meters). Keep room closed for 15 minutes. Do not remain in treated area. Ventilate area after treatment is completed. Repeat as necessary.

ANTS: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

COCKROACHES, CENTIPEDES, CRICKETS, EARWIGS, AND SPIDERS: Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards and storage areas. Spray directly on insects where possible. Repeat as necessary.

FOR CONTROL OF APHIDS, TWO-SPOTTED SPIDER MITES, AND ADULT WHITE FLIES ON:

African Violets
Jerusalem Cherry
Chrysanthemum
Cineraria
Diffenbachia
Fushcia

Gloxinia
Ivy
Lantana
Petunia
Rose
Snapdragon

On outdoor plants:

Azalea
Chrysanthemum
Euonymus
Ivy
Marigold

Petunia
Rose
Snapdragon
Zinnia

Spray plants with a slow sweeping motion so that mist drifts into plants. Direct spray so that upper and lower leaf surfaces are contacted. Use caution on new growth and tender foliage. Repeat as necessary . When using outdoors, spray when air is still.

DISPOSAL

When container is empty, press valve to release all remaining pressure. Wrap and dispose of empty container in regular garbage.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offense under the PEST CONTROL PRODUCTS ACT to use a control product under unsafe conditions.

SELLER'S GUARANTEE shall be limited to the terms set out on the label and subject thereto , the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

Notification Change

~~AgrEvo Environmental Health~~
~~95 Chestnut Ridge Road~~
~~Montvale, NJ 07645 USA~~
~~(201) 307-9700~~

Valent BioSciences Corporation □
100-870 Technology Way □
Libertyville, IL 60048

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))