## **Principal Display Panel:**

## **RODE-TROL® RODENT CONTROL BAIT FOR RATS**

**Controls Rats** 

## COMMERCIAL

## **READ THE LABEL BEFORE USING**

GUARANTEE: Cellulose from Powdered Corn Cobs... 42.3% Reg. No. 28683 P.C.P. ACT

Warning, contains the allergen wheat

## **NET CONTENTS**: 20 kg

#### FOR INDOOR USE ONLY

©2003 by RODE-TROL, LLC

RODE-TROL,LLC 35801 Road 132 Visalia, CA 93292 USA

For further information, call 559-635-3091.

#### **Secondary Display Panel:**

#### **GENERAL INFORMATION**

For the control of RATS Rode-trol® Rodent Control Bait for Rats is a product for the control of rats. Rats must feed exclusively on Rode-trol® Rodent Control Bait for Rats for a minimum of 8 days for death to occur.

## **DIRECTIONS FOR USE**

Remove all food sources prior to treatment. Place bait stations where there are signs of rat activity such as fresh droppings or near burrows, runs, feeding places and points of entry. Optimal application times are during periods of limited food supply and high activity. Keep package contents tightly sealed to prevent the bait from acquiring an undesirable odour.

**Bait Station Application for Indoor Use (Buildings, Warehouses, Barns and Empty Feed Storage Areas):** Remove all food sources prior to treatment. For the control of rats, use 56.7-85 g of Rode-trol® Rodent Control Bait for Rats in commercially available bait stations. Rats are sporadic feeders, so several bait stations are required. Place bait stations 1.2 to 1.8 m apart. Inspect bait stations every 48 hours and replace any eaten or spoiled bait. Maintain an uninterrupted supply of fresh bait for at least 8 days or until signs of rat activity cease for a period of 2 or more days.

If all bait has been eaten from certain areas, add additional bait stations. DO NOT increase the amount of bait per bait station.

Protect bait stations from non-target animals. To prevent bait from spoiling, bait stations should be placed away from sources of moisture. Replace any wet or spoiled bait. Relocate bait stations to a dry location if necessary.

# PRECAUTIONS

# **KEEP OUT OF REACH OF CHILDREN**

Keep away from children, pets, domestic animals and wildlife. It is advisable to wear protective gloves to dispose of any dead rats or handle bait and/or bait stations that have been visited by rats. Always wash hands after handling carcasses or bait and bait stations.

# DISPOSAL

1. Carcasses and used bait can be buried or placed in an appropriate trash receptacle for disposal at an approved refuse site.

- 2. Do not reuse empty container.
- 3. Make the empty container unsuitable for further use.
- 4. Dispose of the container in accordance with provincial requirements.

5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the

provincial regulatory agency in case of a spill, and for clean-up of spills.

# FIRST AID

Get medical attention immediately for any toxic reaction or irritation that persists or is severe.

If in eyes

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If on skin

Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If swallowed

Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If inhaled

## Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

# TOXICOLOGICAL INFORMATION

Treat symptomatically.

# NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

#### \*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.