

85.10.07

COMMERCIAL INDUSTRIAL

0519

WELADYNE*

Liquid General Purpose Detergent Germicide

GUARANTEE:

Phosphoric Acid.....	15.76%
Polyethoxy polypropoxy polyethoxy ethanol-iodine complex.....	11.19%
Nonylphenoxypoly(ethyleneoxy) ethanol-iodine complex.....	10.74%
(Providing 1.75% titratable iodine).	

Registration No. 11753 Pest Control Products Act.

D.I.N. 342424

Read the label before using

POISON

DANGER

CORROSIVE

NET CONTENTS: 4 LITRES

WEST
MANUFACTURED BY
WEST CHEMICAL PRODUCTS OF CANADA LTD.
10900 SECANT
VILLE D'ANJOU, P.Q. H1J 1S5

BRANCHES IN PRINCIPAL CITIES

*Registered Trade Mark. Authorized User.

WELADYNE* is an excellent general purpose, combination detergent-germicide formulated for hospital and industrial uses. It cleans and disinfects efficiently and economically.

GERMICIDAL ACTION : WELADYNE kills bacteria and the Herpes Simplex virus on environmental surfaces that are responsible for Staphylococcus and Streptococcus infections, and Athlete's Foot. It also destroys other pathogens which may be found on inanimate objects. WELADYNE is its own indicator of germicidal activity. In use-dilution it has a rich amber colour. Just as long as colour remains in this solution, germicidal action is assured.

RECOMMENDED DILUTIONS : For general cleaning and disinfecting in a single operation, use 90 mL of WELADYNE per 20 litres of water. For porous surfaces or those difficult to clean, use 180 mL to 20 litres of water.

HOSPITAL USE : WELADYNE disinfectant is indicated wherever a cleansing and disinfecting procedure must be carried out. It may be employed in hospitals for diet kitchens, cafeteria, as well as for other aspects of institutional environmental sanitation.

MEAT AND FOOD PROCESSING PLANTS :

- 1) All foods must be covered or removed from areas to be cleaned.
- 2) Heavy accumulations of soil should be removed from surfaces or utensils.
- 3) Clean with an adequate detergent solution. Rinse with clear water.
- 4) Rinse or soak for at least two minutes with a final sanitizing solution of 30 mL WELADYNE to 20 litres of water. (25 p.p.m titratable iodine).

NOTE: When using higher concentrates of Weladyne all surfaces must be rinsed with potable water.

FIRST AID : If swallowed, promptly drink a large quantity of milk, egg whites, gelatin solution or if these are not available drink large quantities of water. Do not induce vomiting. Call physician immediately.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest

Control Products Act to use a control product under unsafe conditions.

CAUTION : KEEP OUT OF REACH OF CHILDREN.

Harmful if swallowed. Causes skin irritation. Avoid getting the concentrate on clothing, skin and in eyes. In case of contact, flush with plenty of water. For eyes, get medical attention. Avoid contamination of food.

1-0519-A065

MADE IN CANADA

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))