

97.01.16

WASP AND HORNET
KILLER II

PRESSURIZED CONTACT AND RESIDUAL SPRAY

DOMESTIC

READ THE LABEL BEFORE USING

KEEP OUT OF THE REACH OF CHILDREN

GUARANTEE:

Pyrethrins	0.050%
Piperonyl Butoxide	0.100%
N-Octyl bicycloheptene dicarboximide	0.166%
Propoxur	0.500%

REG. NO. 24961 P.C.P. ACT

CAUTION

EXPLOSIVE

Root Industries Inc.
3700 Weston Rd, North York,
Ontario M9L 2Z4

311 g

DIRECTIONS: For the control of wasps, bees, hornets and yellow jackets, remove protective cap and point nozzle in the direction of the wasp nest or at the insect. Press the nozzle and completely saturate the nest from a distance of 2-2.5 metres. To prevent insect from falling on skin and clothes, do not stand directly under nest. Allow sufficient time for insects to become dead or moribund. For best results, applications to wasps nests should be made in late evening or early morning (if possible when insects are at rest).

LIMITATIONS: Do not use inside homes or on humans or animals. Do not use as a space spray.

PRECAUTIONS: KEEP OUT OF THE REACH OF CHILDREN. May be harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with skin, eyes and clothing. Avoid breathing spray mist. Wash thoroughly with soap and warm water after using. Keep children and pets away from treated area until surfaces are dry and insects are dead. Do not contaminate food, utensils, food preparation areas. Remove pets and cover fish bowls before spraying. Toxic to bees, fish and wildlife. Do not contaminate any body of water. Do not contaminate animal feeding areas. Contents under pressure. Do not store at temperatures over 50°C as container may burst. Do not puncture or incinerate.

FIRST AID: If on skin, wash immediately with soap and warm water. If in eyes, flush with clean water for 15 minutes; call a physician. If ingested do not induce vomiting, call a doctor or Poison Control Centre at once.

TOXICOLOGICAL INFORMATION: Propoxur is a carbamate cholinesterase inhibitor. Atropine sulfate is antidotal. Do not give morphine. Watch for delayed pulmonary edema in cases of serious poisoning. In this case use oxygen therapy and treat symptomatically.

DISPOSAL: When container is empty, press button to release all pressure, then dispose in household garbage. Do not puncture or incinerate.

11/96

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))