

26-JUN-1996

GREEN CROSS (R)

MECO-D LIQUID WEEDKILLER

COMMERCIAL

CONTAINS MECOPROP AND 2,4-D

COMMERCIAL

FOR GOLF COURSE FAIRWAYS, PARKS AND LAWNS

NET CONTENTS: 10 L

GUARANTEE:

2,4-D (isomer specific).....285 g/L
Mecoprop(d-isomer).....150 g/L
(Present as amines)

READ THE LABEL BEFORE USING

REGISTRATION NO.: 17737
PEST CONTROL PRODUCTS ACT

CAUTION POISON

DANGER - EYE IRRITANT

The Solaris Group
A Unit of Monsanto Canada Inc.
600 - 25 Watline Avenue
Mississauga, Ontario
L4Z 2Z1

DIRECTIONS:

MECO-D is safe on ESTABLISHED TURF containing fescue and bluegrass species. Established bentgrasses present may suffer a setback, but should recover. Do not use on greens, seedling grasses or pure stands of bent grass. DO NOT APPLY BY AIR.

APPLICATION RATES:

Use 4.5 litres of MECO-D per hectare in 300 - 400 litres of water (45 mL/100 m²).

APPLICATION DIRECTIONS:

Weather: Apply in warm weather under good growing conditions.

Avoid spraying in very hot (over 32°C), droughty, or rainy conditions. Keep off area until dry.

Mixing: To ensure even mixing, half fill the sprayer tank with clean water, add the required amount of MECO-D and stir thoroughly. Add the remainder of the water and mix before spraying.

Fertilizer Tank Mix: Meco-D is compatible with liquid fertilizers such as Green Cross Lawn Green Liquid 15-5-5.

WEEDS CONTROLLED:

Treat when the weeds are young and growing vigorously. Resistance increases with age. Clover, dandelion, common Chickweed mouse-eared chickweed, plantain, black medick, stitch-wort, creeping Charlie.

PRECAUTIONS:

Store with container tightly closed, and away from seed, fertilizer and water supplies. Avoid contamination of ponds, streams, river and water sources. Avoid spray drift onto flower beds and borders. Protect from frost. Wash sprayer thoroughly before and after use.

CAUTIONS:

KEEP OUT OF REACH OF CHILDREN. May cause severe eye irritation and reversible eye damage. This product may cause skin sensitization reactions in certain individuals.

PROTECTIVE CLOTHING & EQUIPMENT:

- . Handling the concentrate (mixing and loading): Wear long-sleeved shirt, long pants, chemical-resistant gloves, socks and shoes, and protective eye wear (face shield or safety glasses). Rinse gloves before removal. Coveralls or a chemical-resistant apron should also be worn when open pouring from containers greater than 5L.
- . Handling the dilute spray solution (during application or repairing or cleaning equipment): Wear a long-sleeved shirt, long pants, chemical-resistant gloves, socks and shoes. Rinse gloves before removal. Gloves are not required during application when applicator is in an enclosed tractor.

OPERATOR USE PRECAUTIONS:

- . Wear freshly laundered clothing and clean protective equipment daily.
- . Rinse gloves before removal.
- . Wash hands before eating, drinking, using tobacco or using the toilet.
- . If herbicide penetrates clothing remove immediately; then wash thoroughly and put on clean clothing. Throw away clothing and other absorbent materials that have been

drenched or heavily contaminated with this product's concentrate.

- . After using this product, remove clothing and launder separately, and promptly and thoroughly wash hands and exposed skin with soap and water. Follow manufacturer's instructions for cleaning personal protective clothing and equipment. If no such instructions for washables are provided, use detergent and hot water. Keep and wash personal protective equipment separate from household laundry.
- . After work, remove all clothing and shower using soap and water.

RE-ENTRY INTERVAL FOR TURF:

- . Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treated areas until spray has thoroughly dried.

MAXIMUM APPLICATION FREQUENCY TO TURF:

- . For good turf/lawn management, normally two applications per year per treatment site are adequate. This does not include spot treatments.

MECHANICAL TRANSFER SYSTEM:

- . Containers larger than 20L: Use a transfer system that avoids open pouring when transferring the liquid concentrate from such containers into the spray tank.

FIRST AID:

In case of poisoning, call a physician or Poison Control Centre immediately. IF ON SKIN, remove contaminated clothing and wash skin thoroughly with soap and water. IF IN EYES, splash repeatedly for 15 minutes with plenty of clean water or eye wash solution. See a doctor or call a Poison Control Centre if irritation develops. IF SWALLOWED, give the patient one to two glasses of water, and cause vomiting by giving one dose (15 mL) of syrup of ipecac. If the patient does not vomit within 20 minutes, give a second dose. If syrup of ipecac is not available, give the patient one to two glasses of water and cause vomiting by inserting a finger down the throat. Repeat with water until vomit fluid is clear.

The patient should be lying down with the head below the level of the feet. DO NOT TRY TO CAUSE VOMITING IF THE PATIENT IS UNCONSCIOUS OR IN A CONVULSIVE STATE.

DECONTAMINATION AND DISPOSAL:

Follow the following steps for disposable containers:

1. Rinse the emptied container thoroughly and add the rinsings

to the spray mixture in the tank.

2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product, and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the PEST CONTROL PRODUCTS ACT to use a control product under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

Product Use Information: 1-800-668-5669

(R)Registered trademark of Monsanto Company, Monsanto Canada Inc., licensee.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))