

94.05.31

3M

MICRO ENCAPSULATED

PET FLEA SPRAY

GUARANTEE

PYRETHRINS 0.21%

PIPERONYL BUTOXIDE TECHNICAL 1.08%

N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE 0.33%

REG.NO. 23623 P.C.P. ACT

DOMESTIC

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

444 mL

3M CANADA INC.,
LONDON, ONTARIO
N6A 4T1

CAUTION: For use on cats and dogs only to control cat fleas, dog fleas, American dog ticks and brown dog ticks. Some animals, particularly cats and kittens, may be sensitive to insecticides. Do not use on sick animals. Do not use on animals under drug or pesticide treatment. See "Directions for Use" for specific application information. If adverse reactions are observed, (e.g. heavy salivation, lethargy, breathing difficulties, or other unusual reactions), bathe pet immediately in warm, soapy water. If symptoms persist, seek medical attention. Because some animals, particularly cats and kittens, may be sensitive to insecticides, do not exceed the recommended application rate on cats and kittens unless so advised by your veterinarian. Do not use on nursing females or on puppies or kittens under 8 weeks or age. Consult veterinarians for use on pregnant animals.

SHAKE WELL BEFORE USE AND OCCASIONALLY DURING USE

DIRECTIONS FOR USE:

1. For best results, before spraying, bathe and shampoo the pet with shampoo recommended by your veterinarian.
2. Rub off excess water with a towel. Your pet does not have to be thoroughly dried.

3. Adjust the nozzle on the bottle of 3M Pet Flea Spray to deliver a coarse spray. Hold sprayer within 5-10 cm of the haircoat. Apply 3M Pet Flea Spray so that your pet is MOIST - NOT SOAKED.
4. Start by spraying your pet's head (avoiding contact with the eyes and mouth) and work your way back to the hind quarters. Spray under the haircoat by backcombing against the direction of hair growth with your other hand. Do not spray scrotum of pet.
5. Rough up the hair as needed to expose the skin to insecticide. It is important to apply 3M Pet Flea Spray as evenly as possible over your pet's body because fleas will migrate to untreated areas (e.g. toes, foot pads, around the ears, etc). Spray ticks directly.
6. Applying this product at the level described above will provide rapid flea kill and at least 8 days residual activity.
7. Allow your pet to dry. Do not towel dry as this will remove many of the 3M Pet Flea Spray microcapsules. (These microcapsules provide the insecticide's time-release residual activity.) A blow dryer works well to shorten the drying time.
8. In addition to treating your pet directly, control of fleas in your pet's environment is important if you wish to eliminate fleas from your home. Ask your retailer about 3M 90 Day Household Flea Spray. When used as directed 3M 90 Day Household Flea Spray provides 90-day residual control of adult fleas or flea larvae in the home.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN.

Avoid contact with eyes. Avoid breathing spray mist. Keep container closed when not in use. Cover or remove fish bowls and aquaria. Do not use near birds. Wash hands after spraying and before eating or smoking. This product may pose a hazard to pollinating insects. Do not contaminate food, utensils or food handling areas or surfaces.

FIRST AID: In case of contact with eyes, immediately flush with plenty of water. If irritation persists, get medical attention. If on skin, wash with soap and water.

CAUTION: Contains a Petroleum Distillate. If swallowed, do not induce vomiting. See physician.

STORAGE AND DISPOSAL: Wrap empty container in newspaper and dispose in household garbage. Do not reuse empty container. Do not store below 0°C. If exposed to temperatures below 0°C, thaw completely and mix well before using.

Residual flea and tick spray with quick kill for use on dogs and cats. A mixture of microencapsulated pyrethrins and unencapsulated pyrethrins for quick kill.

WARRANTY: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product under that condition.

Peel down to open. Press to reseal.

3M Health Care Products and Services Division Division des produits pour soins de sante

3M Canada Inc.
London, Ontario
N6A 4T1

CONTENTS MANUFACTURED IN CANADA, PACKAGED IN U.S.A.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))