

93.02.19

COMMERCIAL

RIDDEX

DDVP 350 ULV INSECTICIDE

WARNING POISON

GUARANTEE: DICHLORVOS TECHNICAL 350 g/L

REGISTRATION NO. 15745

PEST CONTROL PRODUCTS ACT

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL BEFORE USING

NET CONTENTS: 20 L

KEMSAN INC.
P.O BOX 727
OAKVILLE, ONTARIO
L6J 5C1

KEMSAN INC.
C.P. 4835
Saint-Laurent, Québec
H4L 4Z5

RIDDEX DDVP-350 INSECTICIDE is a specialized dichlorvos insecticide formulated specifically for use in indoors in ULV (ultra low volume) aerosol fog generators, such as leco ULV equipment or other makes of ultra low volume applicators equipped with flowmeters or automatically regulated flow control systems. This insecticide should be used only by properly trained and qualified personnel before using this product, contact KEMSAN regarding operation and calibration of ULV calibrated to ensure that the exact insecticide dosage can be monitored throughout the entire application. Do not dilute.

PREPARATION OF THE AREA : Close all doors, windows and ventilators. Lock or barricade all entrances, post warning signs

and take whatever other precautions that are necessary under the circumstances to prevent unprotected humans or domestic animals from entering treated area. Turn off pilot lights and other sources of ignition. Unprotected food should be removed from treated area prior to application; food handling equipment should be covered during application, or washed after application is completed. Occupants should vacate before treatment and should not reoccupy the premises before it has been ventilated. It is generally desirable to make the application of this insecticide in the late afternoon in order that the building can be closed all night. All work in the treatment area must be suspended while building remains closed. Workmen may enter building in the morning after treatment; ventilate thoroughly before re-entering the treated area. Do not use in poultry.

APPLICATION IN FOOD PROCESSING PLANTS, INDUSTRIAL PLANTS, WAREHOUSES: For control of exposed stages of confused flour beetle, cocoa bean, moth, drosophila, flies, flour beetles, gnats, meal moths, mosquitoes, rice weevil, and wasps. Use 4.5 mL to 7.5 mL of insecticide for each 1000 m³ of space. Make application as often as necessary to maintain control, but not more than twice a week.

CAUTION: In meat packing and food processing plants, only spray when plant is not in operation. No exposed food products, ingredients or packaging materials to be left in the room. Cover food handling equipment. Any treated surface that may contact meat food products or other food products should be washed and rinsed thoroughly with potable water after spraying and before reuse for food processing.

APPLICATION IN WINERIES OR WINE CELLARS, FOR CONTROL OF DROSOPHILA: Use 4.5 mL of insecticide for each 1000 m³ of space. Make application as often as necessary to maintain control, but not more than once a week.

APPLICATION IN MUSHROOM HOUSES, FOR CONTROL OF SCIARID & PHORID FLIES: Treat at a house temperature of about 21°C. Close windows, doors and ventilators. Wear a full face respirator while applying spray. Use 2.5 mL of insecticide for each 100 m³ of space. Direct fog downward while walking backwards through building. Keep fogger nozzle at least 3 metres away from the beds. Expose during spawn run to prevent fly build-up. Then, use as required. Do not harvest within 24 hours of fogging solution.

APPLICATION IN EMPTY GRAIN STORAGE FACILITIES: For control of exposed stages of foreign grain beetle, granary weevil, meal moths, red flour beetle, rusty grain beetle and sawtoothed grain beetle. Use 4.5 mL of insecticide for each 100 m³ of space.

Make application as often as necessary to maintain control, usually twice a week. After application, flush ULV unit outdoors with KEMSAN flushing solvent.

WARNING: Do not contaminate streams, lakes, ponds, irrigation water, water used by livestock or water used for domestic purposes. Do not apply on animals or birds or directly over bodies of water. Avoid exposure to the fog during application. Wear protective clothing during filling and application (see precaution statement). Store insecticide in original container only. Keep container tightly closed when not in use to prevent evaporation. If using pump to empty insecticide drum, remove from drum after use and replace closures. Fill insecticide tank in open or well ventilated area only. Wear a full face mask offering protection against dichlorvos insecticide during application.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed, inhaled, or absorbed through skin. Avoid contact with skin, eyes and clothing. Do not breathe dust or spray mist. Wear protective clothing, natural rubber gloves, and suitable masks or respirator when handling concentrate. Destroy used gloves, wash contaminated clothing before re-use. Do not contaminate feed, food or litter. Do not contaminate equipment. Store in original container away from feed or food. Do not contaminate any body of water. Highly toxic to crabs, fish, and shrimps. Harmful to wildlife if allowed to contaminate lakes and streams. Do not apply fog within 8 hours to areas where livestock have received treatment. When fogging indoor areas, evacuate all animals and isolate area. Ventilate thoroughly before readmitting animals.

SYMPTOMS OF POISONING: Weakness, headache, tightness in chest, blurred vision, non-reactive pinpoint pupils, sweating, nausea, vomiting, diarrhea, abdominal cramps.

FIRST AID: If on skin, wash thoroughly with soap and water. If in eyes, flush with clear water for 15 minutes; get medical attention. This product contains petroleum distillates. If swallowed, call physician immediately. Do not induce vomiting. Administer artificial respiration if breathing has stopped.

NOTE TO PHYSICIAN: This product contains a cholinesterase inhibitor. Treat symptomatically. Give 1.3 mg atropine tablets when symptoms are first noted. Morphine is contraindicated. If there are signs of parasympathetic stimulation, atropine should be injected at 10 minutes intervals in doses of 1 to 2 mg until complete atropinization has occurred. Observe patient for 48 hours. Allow no further exposure until the time for cholinesterase regeneration has been allowed as determined by

blood test. Since this product contains a petroleum distillate, care is needed to prevent aspiration into the lungs.

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to the spray mixture in the tank.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of Environmental Protection, Environment Canada.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto. The buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))