

85.12.31

DOMESTIC

500 mL

CHIPMAN

METHOXYCHLOR

SPRAY CONCENTRATE INSECTICIDE

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL BEFORE USING

DANGER

POISON

GUARANTEE: Methoxychlor 240 g per litre

REG. No. 10603 P.C.P. ACT

CHIPMAN INC.

Stoney Creek, Ontario

L8G 3Z1

5 mL = 1 teaspoonful

To control Fruit, Vegetable and Ornamental Insects, Mosquitoes and Black Flies.

DIRECTIONS FOR USE: Roses, Flowers, Shrubs, Ornamentals, Shade Trees - Controls Beetles, Caterpillars, White Flies, Thrips, Loopers, Weevils, Rose Chafer and many other leaf-eating insects. Mix 6 mL/L water and spray thoroughly. Avoid heavy application to elms and evergreens.

Apple, Pear, Cherry, Peach, or Plum - Mix 6 to 11 mL/L water and spray thoroughly. Controls Plum Curculio and Cherry Fruit Fly. Apply at petal fall and repeat at 7-14 day intervals as necessary. NOTE: Interval between last application and harvest; Apples, Pears, Cherries, Plums-7 days; Peaches-21 days.

Strawberries, Gooseberries, Currants: Controls Strawberry Weevil and Currant Fruit Fly: Mix 6 to 11 mL/L water and apply as a thorough cover spray when insects first appear. Do not apply within 14 days of harvest.

Vegetables: Mix 6 to 11 mL/L water and spray for thorough coverage. Amount to use depends on size of crop plants. Repeat

in 7 to 10 days as required.

Snap Beans: Controls Mexican Bean Beetle, Leafhoppers.
Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Collards,
Kohlrabi - Controls Cabbage Worms, Flea Beetles. Beets,
Carrots, Lettuce, Radishes, Spinach, Turnips, Pepper, Eggplant -
Controls Flea Beetles, Leafhoppers, Blister Beetles. Cucumber -
Controls Flea Beetles, Leafhoppers, and Cucumber Beetles.

Do not apply within 1 day of harvest on Carrots, Cucumber,
Eggplant, Kohlrabi and Peppers; 3 days of harvest on Cabbage; 7
days on Beans, Beets, Cauliflower, Turnips and Radishes; 14 days
on Broccoli, Brussels Sprouts, Collards, Lettuce and Spinach.

Potatoes: Controls Colorado Potato Beetle, Leafhoppers, Blister
Beetles.

Tomatoes: Controls Tomato Fruitworm, Fall Armyworms, Flea
Beetles, White Flies and Blister Beetles. Do not apply within 1
day of harvest on tomatoes and 7 days on potatoes.

Black Fly and Mosquito Control - Mix 10 mL/3 L of water and spray
to cover 100 m² of ground area thoroughly using hand or powder
sprayer. Repeat applications may be necessary. Black Fly control
may not be as good as Mosquito control.

Dwellings: Controls Mosquitoes, Gnats, Wasps, Hornets, Flying
Moths, Sandflies, Silverfish, Crickets, Box Elder Bugs, Clover
Mites, Carpet Beetles, Stored Product Insects. Mix 25 mL per
litre of water and use 200 to 400 mL of mixture per 100 m³ of
space. Use as a contact spray for crawling insects. Avoid
contamination of food utensils and surrounding surfaces that may
contact food. Remove pets from area before spraying.

PRECAUTIONS: Avoid contact with the skin. Avoid breathing spray
mist. Avoid contamination of feed and foodstuffs. Keep away
from heat, sparks, open flame and heating elements.

FIRST AID: DANGER - This product contains petroleum distillate,
therefore if swallowed, DO NOT CAUSE VOMITING. If patient is
unconscious give air. Obtain medical attention immediately. IF
IN EYES, wash with plenty of clean water and get medical
attention. IF ON SKIN, wash with soap and water.

NOTICE TO BUYER: Seller's guarantee shall be limited to the
terms set out on the label and subject thereto, the buyer assumes
the risk to persons or property arising from this product, and
accepts the product on that condition.

This label transcript service is offered by the Pest Management

Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))