

12-JAN-1996

GREEN CROSS (R)

BANISECT (R)

DOMESTIC

INSECTICIDE DUST
Contains Chlorpyrifos

Kills white grubs, cutworms and spiders

Net Weight: 500 g

GUARANTEE:

Chlorpyrifos.....0.5%

This product contains the DURSBAN* brand of chlorpyrifos.
*DURSBAN is a registered trademark of Dow Elanco Canada Inc.

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

REG. NO.: 17,260 P.C.P. ACT

The Solaris Group
A Unit of Monsanto Canada Inc.
600 - 25 Watline Avenue
Mississauga, Ontario
L4Z 2Z1

DIRECTIONS FOR USE:

Remove child resistant cap with a coin or tool. Shake to apply.
Reapply cap after use.

FOR USE ON	TO CONTROL	APPLICATION RATE/AREA OF COVERAGE	APPLICATIONS/TIMING
TURF AND LAWNS:	White grubs, European chafer larvae, Japanese beetle larvae	Apply 400 g per 10 sq. m. (14 oz. per 110 sq. ft.)	Apply at first sign of damage and water thoroughly into turf. Make no more than 2 applications per season. KEEP OFF LAWN UNTIL DRY.
	Chinch bugs	Apply 200 g per 10 sq. m. (7 oz. per 110 sq. ft.).	
	Ants	Apply 200 g per 10 sq. m. (7 oz. per 110 sq. ft.).	Treat ant nests and trails. Make no more than 2 applications per season. KEEP OFF LAWN UNTIL DRY.

FOR USE ON	TO CONTROL	APPLICATION RATE/AREA OF COVERAGE	APPLICATIONS/TIMING
ORNAMENTALS, SHRUBS AND BUSHES: DO NOT USE ON ROSES, AZALEAS, CAMELLIAS, POINSETTIAS, OXALIS, COLEUS OR VARIEGATED IVY	Ants, crickets, earwigs, sowbugs, spiders, cutworms, white grubs, European chafer, Japanese beetle larvae	Apply dust to turf or to soil around plants at a rate of 400 g per 10 sq. m. (14 oz. per 100 sq. ft.)	Make no more than 2 applications per season.

	Aphids, mealy bugs, mites, scales, spittle bugs, thrips, whiteflies	Dust plants lightly.	Apply to give uniform coverage to upper and lower leaf surfaces. Repeat as needed but no more than once every 2 months.
--	---	----------------------	---

FOR USE ON	TO CONTROL	APPLICATION RATE/AREA OF COVERAGE	APPLICATIONS/TIMING
<p>GARDENS: (Days to wait between application and harvest in brackets.)</p> <p>Broccoli, Brussels sprouts, cabbage, Chinese cabbage, cauliflower (32), carrots, onion, cucumber (60), green pepper (40), celery, tomato, sweet corn (70), potato (7)</p> <p>DO NOT USE ON GREEN BUNCHING ONIONS</p>	Cutworms, root maggots	Apply dust to soil around plant at a rate of 70 g per 10 m. (2.5 oz. per 33 ft.) of row.	Apply if damage is expected.
Potatoes (7)	Potato flea beetle, tarnished plant bug	Apply dust to plant at a rate of 35 g per 10 m (1 oz. per 25 ft.) of row.	Repeat weekly as needed. Do not make more than 9 applications during one season.

PRECAUTIONS:

Do not allow dust to contact food, food preparing surfaces, utensils or drinking water. Wash contaminated food surfaces and utensils with soap and water. Do not use in poultry houses or other animal buildings. May cause irritation to skin or eyes; avoid contact. Avoid inhaling dust. Wash thoroughly with soap and water after using. KEEP OUT OF REACH OF CHILDREN.

WARNING:

This product is toxic to fish and crustaceans. Avoid contamination of ornamental fish ponds and fish bowls. Dispose of the container away from food, feed and water supplies.

FIRST AID:

If swallowed, induce vomiting and seek medical attention. Flush contaminated eyes and skin with plenty of water. For eyes get prompt medical attention.

TOXICOLOGICAL INFORMATION:

Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine by injection only is an antidote.

DISPOSAL:

Do not reuse container. Dispose of empty container with household garbage.

NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

Product Use Information: 1-800-668-5669

(R)Registered trademark of Monsanto Company.
Monsanto Canada Inc. licensee

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))