

1997/2002

UWTC

B083 LIQUID

LIQUID MICROBICIDE

- NON FOAMING
- EFFECTIVE AT BOTH ACID & ALKALINE pH

INDUSTRIAL

READ THE LABEL BEFORE USING

GUARANTEE:

poly(oxyethylene(dimethyliminio)ethylene-
(dimethyliminio)ethylene dichloride).....10%

REGISTRATION NO. 21693
PEST CONTROL PRODUCTS ACT

NET CONTENTS: Litres 22.6

UNITED WATER TREATMENT CHEMICALS
4 BLAIR DRIVE
BRAMPTON, ONTARIO
L6T 2H6
TEL (905) 456-9444

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

DIRECTIONS FOR USE:

1) COOLING TOWER SYSTEMS

Prior to use in water cooling towers, systems should be

cleaned to remove algae growth, microbiological slime and other deposits. Then make an initial slug addition of 420 to 1050 mL per 10,000 litres of water in the system. Repeat initial dosage until control is evident. Make subsequent slug additions of 120 to 1050 mL per 10,000 Litres of water every 2 to 5 days or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the sump of water cooling towers.

2) INDUSTRIAL AIR WASHING SYSTEMS

Prior to use in air washers, systems should be cleaned to remove algae growth, microbiological slime, and other deposits. Then make an initial slug addition of 150 to 240 mL per 1,000 Litres of water in the system. Repeat initial dosage until control is evident. Make subsequent slug additions of 105 to 240 mLs per 1,000 Litres of water every 1 to 5 days or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the sump or to the water collector trays.

For use only in systems equipped with effective mist eliminating components.

PRECAUTION

KEEP OUT OF REACH OF CHILDREN

- HARMFUL IF SWALLOWED
- AVOID CONTACT WITH SKIN, EYES OR CLOTHING
- WEAR RUBBER GLOVES & PROTECTIVE CLOTHING
- REFER TO MATERIAL SAFETY DATA SHEET

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not contaminate water, food, or feed by storage or disposal. Do not reuse empty container.

FIRST AID: If splashed in eyes or on skin, flush thoroughly with water. If eye irritation persists, seek medical attention. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water.

Call a physician immediately.

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal or reconditioning.

3. Dispose of the container in accordance with Provincial requirements.
4. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of Conservation and Protection Service, Environment Canada.
5. For small spills. Recover free liquid. Soak up residue with inert absorbent. DO NOT FLUSH INTO SURFACE STREAMS. INFORM ENVIRONMENT CANADA AS IN #4.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))