```
(( WATER SOLUBLE BAG ))
```

KILLEX® WSP

WATER SOLUBLE POWDER

TURF HERBICIDE

NET CONTENTS: 426 g (15 oz.)

GUARANTEE:

2,4-D (isomer specific) 25.5% Mecoprop (d-isomer) 6.8% Dicamba 2.7% (All present as acid)

KEEP OUT OF REACH OF CHILDREN

CAUTION

POISON

WARNING SKIN IRRITANT
POTENTIAL SKIN SENSITIZER

((OUTER PACKAGE - FRONT PANEL))

GREEN CROSS®

KILLEX® WSP

COMMERCIAL

WATER SOLUBLE POWDER

TURF HERBICIDE

NET CONTENTS: 20 X 426 g (15 oz.) Water Soluble Bags Each bag covers 930 sq. metres (10,000 sq. feet) For broadleaf weed control in turf (parks, lawns, golf courses, etc.) Contains 2,4-D, mecoprop, and dicamba.

GUARANTEE:

DO NOT OPEN WATER SOLUBLE BAG. DO NOT TOUCH IT WITH WET GLOVES. THE SOLUBLE BAG SHOULD BE DROPPED STRAIGHT INTO THE SPRAY TANK. RESEAL OUTER PACKAGE TO PROTECT REMAINING WATER SOLUBLE BAGS.

NOT FOR RELABELLING OR REPACKAGING

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

DO NOT SELL SOLUBLE BAGS INDIVIDUALLY

PROTECT FROM FREEZING

REGISTRATION NO.: 24408
PEST CONTROL PRODUCTS ACT

CAUTION POISON

WARNING SKIN IRRITANT POTENTIAL SKIN SENSITIZER

The Solaris Group

A Unit of Monsanto Canada Inc.

600 - 25 Watline Avenue

Mississauga, Ontario

L4Z 2Z1

((OUTER PACKAGE - BACK PANEL))

PRECAUTIONS:

- KEEP OUT OF REACH OF CHILDREN.
- MAY CAUSE SEVERE EYE IRRITATION AND REVERSIBLE EYE DAMAGE.
- THIS PRODUCT MAY CAUSE SKIN IRRITATION AS WELL AS SENSITIZATION REACTIONS IN CERTAIN INDIVIDUALS.
- RE-ENTRY INTERVAL: DO NOT ALLOW PEOPLE (OTHER THAN THE APPLICATOR) OR PETS ON TREATMENT AREA DURING APPLICATION. DO NOT ENTER TREATED AREA UNTIL SPRAY HAS THOROUGHLY DRIED.
- AVOID contact with eyes, skin or clothing.
- AVOID breathing spray mist or vapours.
- PROTECTIVE CLOTHING AND EQUIPMENT: DURING MIXING AND LOADING, wear long-sleeved shirt, long pants, chemical resistant gloves, socks and shoes. A protective apron, eye goggles or face shield should also be worn.
- WHEN HANDLING THE DILUTE SPRAY SOLUTION (during application or repairing or cleaning equipment) wear a long-sleeved shirt, long pants, chemical resistant gloves, socks and shoes. Gloves are not required during application when applicator is in an enclosed tractor.
- OPERATOR USE PRECAUTIONS: Rinse gloves with soap and water before removal and wash hands.
- Wear freshly laundered clothing and clean protective equipment daily.
- Wash hands before eating, drinking, using tobacco or using the toilet.
- If herbicide penetrates clothing, remove immediately, then wash thoroughly and put on clean clothing. Throw away clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate.
- After using this product, remove clothing and launder separately, and promptly and thoroughly wash hands and exposed skin with soap and water. Follow manufacturers instructions for cleaning personal protective clothing and equipment. If no such instructions for washables are provided, use detergent and hot water. Keep and wash personal protective equipment separate from household laundry.

- After work, remove all clothing and shower using soap and water.
- DO NOT allow spray mist to drift onto vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants.
- DO NOT spray exposed roots of trees and ornamentals.
- DO NOT contaminate water supply, ponds, lakes, streams and irrigation ditches.

FIRST AID:

- IN CASE OF A POISONING OR SUSPECTED POISONING INVOLVING THIS PRODUCT CALL 1-800-668-4877.
- IF ON SKIN, remove contaminated clothing and wash skin, hair and fingernails thoroughly with soap and water. Obtain medical attention or contact a Poison Control Centre. Wash contaminated clothing separately before reuse.
- IF IN EYES, flush thoroughly with clean water for at least 15 minutes, holding eyelids apart. Obtain medical attention or contact a Poison Control Centre.
- IF INHALED, move to fresh air, clean up and rest. Obtain medical attention.
- IF SWALLOWED, immediately rinse the mouth with water and then drink a large amount of water. Never give anything by mouth to an unconscious person. Induce vomiting if a large amount has been swallowed. Apply artificial respiration if necessary. Call a doctor or Poison Control Centre immediately.

TOXICOLOGICAL INFORMATION:

May cause eye irritation on contact. For further information consult the Material Safety Data Sheet. Potential skin sensitizer.

STORAGE:

- Store in original container in a secured, DRY storage area.
- Store the tightly closed container away from seeds, fertilizers, plants and foodstuffs.

- Prevent cross contamination with other pesticides.
- Exposure of the water soluble bags to moisture prior to use may cause the water soluble bag to rupture.

DECONTAMINATION AND DISPOSAL:

- When all the water soluble bags are used, make the empty outer package unsuitable for further use.
- Dispose of the outer package in accordance with provincial requirements.
- For information on the disposal of unused, unwanted product, and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.
- IN CASE OF A MAJOR SPILL OR FIRE CALL: 1-800-668-4877.

DIRECTIONS FOR USE:

- KILLEX WSP is a specially formulated herbicide for the selective post-emergence control of many broadleaf weeds in turf.
- Maximum weed control will be obtained from spring or early fall applications when weeds are actively growing.
- Avoid applying during long, excessively dry or hot periods, unless adequate irrigation is available.
- Do not irrigate within 24 hours after application.
- Do not apply when the air temperature exceeds 29EC (85EF) as some turf injury may occur.
- Do not apply to newly seeded turf until after the second or third mowing.
- Grass seed can be safely sown 3-4 weeks after application.
- Do not use on bent grass varieties unless temporary discoloration or injury can be tolerated.
- MAXIMUM APPLICATION FREQUENCY: For good turf/lawn management,

normally two applications per year per treatment site are adequate. This does not include spot treatments.

WEEDS CONTROLLED	AREA TO BE TREATED		NUMBER OF WATER	COMMENTS
	SQUARE METRES	SQUARE FEET	SOLUBLE BAGS	
Dandelion, white clover, broadleaf plantain, narrow leaf plantain, prostrate knotweed, ground ivy, black medick, wild strawberry*	930	10,000	1	Apply KILLEX WSP in sufficient water for adequate coverage of the germinated weeds-30-150 L/1000 square metres (5-30 gallons per 10,000 square feet). Spray drift can be reduced by using high water volumes under low pressure and using coarse spray droplets.
	1,860	20,000	2	
	2,790	30,000	3	
	3,720	40,000	4	
	4,650	50,000	5	
	9,300	100,000	10	
	18,600	200,000	20	

^{*} Suppression only.

MIXING AND APPLICATION DIRECTIONS:

- 1. Prepare only the amount of spray mixture which can be used the day that it will be sprayed.
- 2. Fill the spray tank with ½ to ¾ of the required amount of water and begin agitation. Sufficient agitation during mixing and application is essential to evenly disperse KILLEX WSP in the spray solution.
- 3. Remove the required number of water soluble bags from the outer package. Drop, one at a time, the required number of unopened water soluble bags containing KILLEX WSP into the spray tank. Allow time for each bag to disperse completely before adding another water soluble bag. Maintain continuous agitation to

avoid separation.

- 4. Finally, add the balance of the required water volume and maintain agitation prior to and during the application.
- 5. Before beginning to spray, make sure KILLEX WSP has dispersed and water soluble bag has dissolved.
- 6. KILLEX WSP is compatible with liquid or water soluble fertilizers but a compatibility test is recommended before tank mixing it with any fertilizers. Follow all fertilizer label instructions.
- 7. Calibrate spray application equipment prior to use for the best results.
- 8. After using this product, clean the sprayer thoroughly before applying other pesticides. Sprayers which have contained KILLEX WSP should not be used to apply other pesticides to 2,4-D sensitive plants.
- 9. Do not apply this product through any type of irrigation system.
- 10. DO NOT APPLY BY AIR.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the PEST CONTROL PRODUCTS ACT to use a control product under unsafe conditions.

NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

FOR MORE INFORMATION CONTACT:

IN CASE OF A MAJOR SPILL, FIRE OR POISONING 1-800 668-4877 FOR PRODUCT USE INFORMATION 1-800 668-5669

®Registered trademark of Monsanto Company, Monsanto Canada Inc. licensee

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))