

85.12.31

SANEX

RESMEN-5-ULV

CONCENTRATE

INSECTICIDE

A MOSQUITO AND BLACKFLY  
ADULTICIDING CONCENTRATE FOR ULV FOGGING

COMMERCIAL

GUARANTEE: RESMETHRIN 5.0%

REG.NO.15300 P.C.P. ACT

READ THE LABEL BEFORE USING

NET CONTENTS

SANEX CHEMICALS LTD.  
2695 SLOUGH ST.  
MISSISSAUGA, ONTARIO  
L4T 1G2

BRANCHES THROUGHOUT CANADA

#### DIRECTIONS

Spray parks, campsites, woodlands, athletic fields, golf courses, swamps, tidal marshes, residential areas and municipalities, around the outside of apartment buildings, restaurants, stores and warehouses. Do not spray on cropland, feed or foodstuffs. Avoid direct applications over lakes, ponds and streams.

This concentrate is to be used for adult mosquito control in ground applications with non-thermal or mechanical spray equipment that can deliver spray particles definitely within the aerosol size range and at specified dosage levels.

#### ULTRA LOW VOLUME APPLICATIONS

For use in portable nonthermal ULV equipment such as back packs and hand-carry units. Adjust equipment to deliver fog particles

at 18 microns, median mass diameter. Apply at the rate of 60 g of finished formulation per acre as a 15 meters swath while walking at a speed of 3 km. This is equivalent to .003 kg of active ingredient per acre.

For truck mounted nonthermal ULV equipment, adjust equipment to deliver fog particles of 12 microns, median mass diameter. Apply at the rate of 60 g of finished formulation per acre as a 90 meters swath at a truck speed of 8 km. This is equivalent to .003 kg of active ingredient per acre.

Fog only when air currents are less than 8 km/h. It is preferable to fog during early morning and late afternoon when there is less breeze and convection currents are minimal. Arrange to apply the fog in the direction with breeze to obtain maximum swath length and better distribution. Direct spray head of equipment in a manner to insure even distribution of the fog throughout the area to be treated. Avoid prolonged inhalation of fog.

Guide the direction of the equipment so that the discharge nozzle is maintained at a distance of more than 2 meters from ornamental plants and 5 meters or more from painted objects.

Equipment with the standard control panels using flow meters or dial meters flow rate at the specified speed of travel (km). This must be maintained to insure the proper dosage rate of finished formulation. Equipment with Volumetric Flow Control units (VFC) provide direct numerical readout of insecticide flow rate regardless of changes in insecticide temperature, type or viscosity.

NOTICE - This concentrate cannot be diluted in water. If temperatures in storage falls below 5 deg C crystallization will occur. Warm container at 27 deg C until all crystals disappear. Mix well before using. Avoid storing excess formulation in spray equipment tank beyond the period needed for application.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN.

HARMFUL IF SWALLOWED: Concentrate causes severe skin irritation. May cause eye irritation. Do not get into eyes or on skin. In case of contact wash thoroughly immediately. Flush contaminated eyes with plenty of water and get medical attention. Avoid breathing spray mist. Wash hands before meals and after work.

DO NOT STORE NEAR AN OPEN FLAME.

This product is combustible. Store at temperatures above 5 deg C. If exposed to temperatures below 5 deg C, warm to

27 deg C by placing in a warm room. Mix well before using.

This product is toxic to fish and birds. Keep out of lakes, streams, or ponds. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

FIRST AID: This product contains petroleum distillates. If swallowed do not induce vomiting. If patient is unconscious give him air. Get prompt medical attention.

DECONTAMINATION AND DISPOSAL: Crush used containers and bury in non-cropland soil away from water. This concentrate is toxic to fish. Avoid drainage into streams and other water sources.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

LIMITATION OF WARRANTY: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))