

96.08.23

BK-50

DISINFECTANT/DEODORIZER

50% Quaternary Ammonium Chloride Solution U.S.P.

READ THE LABEL BEFORE USING

DANGER

POISON

CORROSIVE

INDUSTRIAL

Bactericide

Fungicide

GUARANTEE:

n-Alkyl (C12 - 40%, C14 - 50%, C16 - 10%)
Dimethyl Benzyl Ammonium Chloride..... 50%

REGISTRATION NO: 16277

PEST CONTROL PRODUCTS ACT

DIN 00494720

NET CONTENTS: 22.5 Kg

LOT NO.

EXPIRY DATE:

RECKITT & COLMAN CANADA INC.
TORONTO, ONTARIO
M8Z 5M5

For use in food plants, restaurants, hospitals, hotels, schools,
industry, farms.

DIRECTIONS FOR USE:

First clean with a good detergent and rinse.

TO DISINFECT:

Deodorizing and General Sanitizing:

Eating utensils, drinking glasses, dairies, dairy farms and food processing plant equipment, diaper rinse, egg shells.

Mix 4 mL BK 50% per 10 litres water
(Equiv. 200 ppm of active quaternary.)

General Disinfecting: Walls, floors, showers, toilets, animal shelters, poultry shelters, food storage areas, refrigerators, ice cream scoops, garbage cans.

Mix 8 mL BK 50% per 10 litres water
(Equiv. 400 ppm of active quaternary.)

FOOD PROCESSING AND POULTRY INDUSTRIES

All surfaces subject to food contact must be thoroughly rinsed with potable water after use of this product. Dilute with water - do not mix soaps or other chemicals.

PRECAUTIONS: DANGER-CORROSIVE

Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles, or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food. Keep out of reach of children.

FIRST AID INSTRUCTIONS

In case of contact, immediately flush eyes or skin with plenty of water. For eyes, call a physician. Remove and wash all contaminated clothing before re-use.

If swallowed, drink promptly large volumes of milk, egg white, gelatin solution, or if not available, large volume of water. Call physician immediately.

TOXICOLOGICAL INFORMATION

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

NOTICE TO USER

This control product is to be used only in accordance with the directions on this label. It is an offence under the PEST CONTROL PRODUCTS ACT to use a control product under unsafe conditions.

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to the treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))