SUREKILLER (R)

FOAM WASP & HORNET KILLER

PRESSURIZED CONTACT AND RESIDUAL SPRAY

DOMESTIC

BARRIER SPRAY BLANKETS WASP AND HORNET NESTS

ZAP STREAM

SPRAY NESTS SAFELY FROM 2-2.5 METRES (6-8 FEET)

FAST KNOCKDOWN NON STAINING

GUARANTEE:

D-TRANS ALLETHRIN 0.0500% N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE 0.0400% CHLORPYRIFOS 0.500%

REG. NO. 21615 P.C.P. ACT

CAUTION EXPLOSIVE

400 g

READ THE LABEL BEFORE USING

SURE KILLER PRODUCTS LTD. 1285 ST.MARY'S AVE., MISSISSAUGA, ONTARIO CANADA, L5E 1H8

DIRECTIONS: For control of wasps, bees, hornets and yellow jackets. Shake can well before using. Remove protective cap, insert "applicator wand" into spray nozzle and point in direction of the insect nest. Depress nozzle, continue to spray until the nest is all covered with the insecticide foam, from a distance of 2 to 2.5 metres (6-8 feet). The insects will now not be able to leave the nest so insert the applicator wand into the nest and fill the nest with insecticide foam. Allow sufficient time for insects to become inactive before destroying the nest. Application to nests should be made in late evening or early morning when insects are at rest.

RESTRICTIONS: Do NOT use inside homes or on humans or animals. Do NOT use as a space spray.

PRECAUTIONS: KEEP OUT OF THE REACH OF CHILDREN. May be harmful if swallowed, inhaled or absorbed through the skin. Provide adequate ventilation of area being treated. Avoid contact with skin, eyes and clothing. Avoid breathing spray mist. Wash thoroughly with soap and warm water after using. Do not allow children to contact treated areas until surfaces are thoroughly dry. Do not contaminate food, utensils, food preparation areas. Remove pets and cover fish bowls before spraying. Toxic to bees, fish and wildlife. Do not contaminate any body of water. Do not contaminate animal feeding areas. Contents under pressure. Do not store or use above 50'C as container may burst. Do not puncture or incinerate container.

FIRST AID INSTRUCTION: If on skin, wash immediately with soap and warm water. If in eyes, flush for 15 minutes water. If irritation develops, consult physician.

TOXICOLOGICAL INFORMATION: Chlorpyrifos is a cholinesterase inhibitor. Atropine sulfate is antidotal. Do not give morphine. Watch for delayed pulmonary edema in cases of serious poisoning. In this case use oxygen therapy and treat symptomatically.

DECONTAMINATION AND DISPOSAL: When container is empty, press button to release all pressure. Do not throw into fire. Wrap and dispose with household garbage.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))