SANEX

HIGH TEST* PLUS INSECT SPRAY

AN INSECTICIDE FOR FOOD PROCESSORS TO CONTROL COCKROACHES, SILVERFISH, BEETLES, MOTHS, FLIES, FLEAS, MOSQUITOES, SPIDERS AND GRAIN INSECTS.

COMMERCIAL

READ THE LABEL BEFORE USING

REG.NO.15476

P.C.P. ACT

NET CONTENTS

GUARANTEE:
PIPERONYL BUTOXIDE 1.66%
D-TRANS ALLETHRIN 0.166%

*TRADEMARK OF SANEX INC.

MANUFACTURED BY:
SANEX INC.
2695 SLOUGH STREET,
MISSISSAUGA, ONTARIO
L4T 1G2

BRANCHES THROUGHOUT NORTH AMERICA

DIRECTIONS FOR BEVERAGE, FOOD & MEAT PROCESSING PLANTS:

Sanex High Test insect spray for food processors is ready to use. It should be applied to infested areas each day, care being taken to cover the area thoroughly and avoid missing any cracks and crevices where the insects or vermin may nest or hide. Spray the undersides of framework of production equipment and any areas where residual insecticide cannot be used due to the proximity of food or food processing equipment. This should be carried on as a preventive measure or until there is no sign of insects. Once the infestation is well under control the treatments could be

spaced further apart.

SPACE SPRAYING FOR FLYING INSECTS

For driving insects out of cracks and crevices use a misting or fogging machine. 300 mL SANEX HIGH TEST will adequately cover 100 cubic metres.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. Produce contains Petroleum distillate. Do not store, pour or use near open flame. mask or respirator when applying spray mist. If the whole building is to be fogged or misted then all personnel with the exception of the operator must be evacuated from the premises. Ventilating systems should be shut down. All switches operating any electrical equipment which might function during the operation should be turned off. All fires, flames and pilot lights or other sources of ignition should be extinguished and safely shut off. Avoid contamination of food, feedstuffs and water supplies. Cover exposed food or produce and equipment before spraying, fogging or misting. Thoroughly ventilate building before permitting reoccupancy. After fogging or misting wash thoroughly all surfaces which come in contact with food. Avoid breathing spray mist. In food processing plants, meat packaging plants and food service establishments apply when plant is not in operation. Remove all food before treatment. No exposed meat products, ingredients or packaging materials to be kept in the room. Cover all food processing surfaces and food handling equipment. All treated surfaces that may contact meat food products or other food products should be washed then rinsed thoroughly with potable water after treatment and before re-use for food processing.

FIRST AID:

For skin contact, wash with soap and water. If in eyes, flush with water. DANGER: This product contains petroleum distillates. Do not ingest. If ingested do not induce vomiting. If patient is unconscious give him air. Obtain medical attention immediately.

TOXICOLOGY:

Treatment for the various reactions is symptomatic.

DISPOSAL AND DECONTAMINATION

Rinse the emptied container thoroughly and add the rinsings to the spray mixture in the tank. Follow provincial for any required additional cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose the container in accordance with provincial requirements. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of Conservation and Protection, Environment Canada.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

LIMITATION OF WARRANTY:

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))