

85.12.31

SANEX

HOUSE & GARDEN

AQUEOUS PRESSURIZED SPRAY INSECTICIDE

INSECTICIDE EN SOLUTION AQUEUSE SOUS PRESSION

450 g

DOMESTIC/DOMESTIQUE

CAUTION/ATTENTION

EXPLOSIVE/EXPLOSIF

READ LABEL BEFORE USING/LIRE L'ETIQUETTE AVANT L'EMPLOI

REG.NO./NO.D'ENR. 16973

P.C.P. ACT/L.P.A.

GUARANTEE/GARANTIE: RESMETHRIN 0.25%

MANUFACTURED BY/FABRIQUE PAR

SANEX INC.

2695 SLOUGH ST.

MISSISSAUGA, ONT.

L4T 1G2

DIRECTIONS FOR USE: Shake well before using. Remove protective cap. Aim spray opening away from person. Push button to spray.

INDOORS - FOR HOUSEFLIES, MOSQUITOES AND GNATS: Close all doors and windows. Point nozzle upward, direct the spray mist to all parts of the room, especially windows and other light sources which attract these insects. Spray 2 to 3 seconds for every 10 cubic metres of space. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed.

INDOORS - FOR CRAWLING INSECTS: Cockroaches, earwigs, grain mites, sowbugs, silverfish, spiders and centipedes. Spray thoroughly and frequently into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards, door frames, bookcases and storage

areas. SPRAY DIRECTLY ON INSECTS where possible. Repeat as necessary.

ANTS: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

FLEAS: Protect dogs and cats from fleas by spraying their resting areas. Hold spray nozzle about 45 cm from area to be treated. Apply spray at the rate of 6 sec. per 1 linear m. Direct spray on resting areas and floor around these areas. Treat bedding the same way. Also spray entire inside surface of dog houses. Repeat as necessary. Also treat dogs and cats with a registered product before they re-enter the area just treated with this product.

OUTDOORS - TO REDUCE ANNOYANCE FROM FLYING INSECTS: Spray areas infested with mosquitoes, gnats(midges), houseflies, biting flies and flying moths(millers). Follow precautions listed above. Hold container 45-60 cm from shrubs, bushes and grassy areas. Spray these areas with a slow sweeping motion at the rate of from 1 to 3 seconds per cubic m. of space while moving away from the treated areas. Treat open porches and patios in a similar manner. Spray only when the air is still. Allow spray to dissipate before occupying the treated area. Repeat as necessary.

OUTDOORS - TO PROTECT ORNAMENTAL PLANTS: To kill exposed aphids, thrips, whiteflies, leafhoppers, plant bugs, spittlebugs and Japanese beetle on smaller rhododendrons, pines, spruce, hemlock, spirea, dogwood, palm, mimosa, toyon, viburnum, euonymus, oaks, maples, locust, forsythia and althea and mimosa webworm larvae on mimosa spray directly on insects. Hold container 45 cm from the infested plants. Spray in short spray bursts of one to three seconds or spray at the rate of 3 sec. per linear meter of growth. Direct spray to all sides covering foliage until slightly moist. Avoid heavy wetting. Repeat as necessary to obtain control. Spray peonies, iris, zinnia, snapdragons, ageratums, chrysanthemums, nasturtiums, daisy, geraniums, marigolds, daphne, fatshedera, ivy, tobira, queen sago and borad leaf acacia for kill of exposed aphids, thrips, adult whiteflies, leafhoppers, plant bugs, spittlebugs and Japanese beetles. Spray as directed above. Ornamental Quince, Juniper, Cypress, Ornamental Mulberry, Ash, Cotoneaster, Rose, Camellia, Azalea, Pyracantha and Caenothus may also be treated to kill the above exposed pests, but use with extreme caution. Certain varieties have shown some leaf burn under certain conditions of use such as heavy dosage. Repeat as necessary to obtain control.

INDOORS - TO PROTECT HOUSE PLANTS: Spray infested African violets, philandendron, geraniums, begonias, coleus to kill the

exposed stages of listed pests. Repeat application as necessary.

OUTDOORS - TO REDUCE ANNOYANCE OF NUISANCE PESTS: ANTS: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary. FLEAS: Same as for indoor use. SPIDERS: Direct short burst of spray on spiders and repeat as necessary. WASPS: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places contacting as many insects as possible. Repeat as necessary.

INDOORS - FOR PROTECTION OF WOOLENS Apply only to garments, blankets, carpets, and other woolen fabrics before placing in storage for protection from larvae of webbing clothing moths and black carpet beetles. Dry clean or wash garments and blankets before treating. Clean carpets, draperies and other fabrics by thoroughly brushing before treating. Hold the container 34-45 cm from the fabric and apply the spray while moving evenly in a forward and back motion across the fabric while covering 1 m per 3 seconds. Spray the entire fabric surface until it is slightly moist or damp to the touch. When possible treat both sides of the fabric. Do not soak or wet fabric. For maximum protection place treated fabrics after drying in plastic or paper bags. Also treat cracks and crevices of closets, chests and trunks where these fabrics are being stored. Treat the cracks and crevices at the rate of 6 seconds per linear meter.

WHEN APPLIED AS DIRECTED on fabric and in storage areas this treatment will offer protection for 5 months. To insure protection inspect the fabric in the storage area once every three months. Repeat application only when necessary. Avoid heavy applications. When possible make application outdoors. If application is made indoors do not remain in treated areas. Ventilate the area after treatment is complete.

PRECAUTIONS: Keep out of reach of children. Cover or remove all foods before spraying. Do not contaminate feed or foodstuffs. Do not use on crops or in food processing plant. Cover or remove fish bowls. Do not ingest. Do not breathe spray mist. Avoid skin contact. Contents under pressure. Do not puncture. Do not expose container to temperatures above 50 deg C. Never throw container into fire or incinerate. Protect from freezing.

FIRST AID INSTRUCTIONS: If eye or skin irritation occurs flush with water. Get immediate medical attention if other symptoms are present.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offense under the Pest Control Products Act to use a control product under unsafe conditions.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))