95/2000

#### GREEN

# SUPERSYSTEM

## PRESERVED WOOD FOUNDATIONS

WOLMANIZED(R)

END CUT PRESERVATIVE from the wood protector experts

DOMESTIC

READ THE LABEL BEFORE USING

## DANGER

POISON CORROSIVE

# SKIN IRRITANT

# GUARANTEE:

Copper as Copper Naphthenate.....2.35% Bis (tri-n-butyltin) oxide.....0.075%

4 LITRES

REG. No. 20572

P.C.P. Act.

U.S.E. Hickson Products Ltd. Scarborough, Ontario, M1E 3X6

You need paint brush, stir stick, rubber gloves, paint bucket, mineral spirits, drop sheet

FOR EXTERIOR USE ONLY

### NOT FOR USE IN DWELLINGS

This product validates our lifetime warranty.

WOLMAN(R) end cut preservative is a penetrating toxic wood preservative sealer and moisture repellent to protect cut ends on WOLMANIZED(R) PRESSURE TREATED LUMBER.

DIRECTIONS FOR USE: For exterior use only. Not for use in dwellings. Solution is not intended to replace pressure treatment. If field cutting or drilling of wood is unavoidable, apply a minimum of two coats as supplied by brush only. Do not spray or dip. Do not dilute. Mix thoroughly and stir frequently during application. Wood to be treated should be clean and dry. Allow to dry before finishing or recoating. Use caution, as some paint finishes may cause bleeding. Do not use the preservative or treated wood where Copper Napthenate may contaminate food, feed or drinking water. Do not apply to wood or fabric or any surface where prolonged skin contact may occur. May be used on greenhouse and garden timbers in contact with non-food producing plants only. Carrier solvent must be allowed to dry before introducing plants to prevent phytotoxicity. For untreated wood use WOLMAN WOOD PRESERVATIVE.

USE LIMITATIONS: Do not use this product as an anti-foulant agent or as a preservative for marine or fresh water structures such as boats or wharfs.

PRECAUTIONS: Keep out of reach of children. Do not use for treating food contact surfaces. Do not use or store near open flame or spark. Avoid breathing vapours. Harmful if swallowed or inhaled. Wear appropriate covering and clothing when applying this product. Wear rubber gloves when handling product. Wash thoroughly after use with soap and water and before eating or smoking. Keep container closed when not in use. Avoid skin contact, may cause skin irritation. Do not contaminate bodies of water. This product is toxic to fish.

FIRST AID:

INGESTION: If swallowed, do not induce vomiting. Call physician or poison control centre immediately.

EYE CONTACT: If splashed in eyes, flush with clean water for 15 minutes and contact physician.

SKIN CONTACT: In case of skin contact, remove the product from the skin promptly by washing with vegetable oil or hand degreaser and then wash thoroughly with soap and water.

TOXICOLOGY: Contains petroleum distillate and Copper Napthenate. Treat as for ingestion of kerosene.

DISPOSAL AND STORAGE: Do not re-use empty container. Dispose of empty container in household trash. Store unused product out of reach of children. Do not store in areas subject to excessive heat.

### 

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))