95/2000

## INSECTICIDE

CO-OP®

## CUTWORM KILLER

## GRANULAR INSECTICIDE

Controls Cutworms and many other Insects affecting Ornamental Bushes, Shrubs, Gardens, Turf and Lawns.

450 g

DOMESTIC

GUARANTEE: Chlorpyrifos 0.5%

REG. NO. 16791 P.C.P. ACT

READ THE LABEL BEFORE USING

INTERPROVINCIAL COOPERATIVE LIMITED

P. O. BOX 1050, SASKATOON, SASKATCHEWAN S7K 3M9
WINNIPEG MISSISSAUGA MONTREAL MONCTON

## DIRECTIONS FOR USE:

GARDENS: For control of cutworms and root maggots. Apply on the following crops if damage is expected. Apply 200 g per  $10~\text{m}^2$  of soil surface before planting. Do not make more than one application per year. Rake soil lightly to incorporate granules into top 5 cm of soil. Do no use on green bunching onions.

Days to wait between applications and harvest:

Crop:

Broccoli 32 Brussel Sprouts 32

Cumcuber	60
Cabbage	32
Green Pepper	40
Onion	60
Carrot	60
Potato	7
Cauliflower	32
Sweet Corn	70
Chinese Cabbage	32
Tomato	70
Celery	70

ORNAMENTAL BUSHES & SHRUBS: Cutworms, crickets, earwigs, sowbugs, spiders, ants, white grubs, European chafer larvae and Japanese beetle larvae. Apply to turf, or to soil around plants at rate of 400 g per  $10 \text{ m}^2$ . Make no more than 2 applications per season.

TURF AND LAWNS: Make no more than 2 applications per season. White grubs, European chafer larvae, Japanese beetle larvae. Apply 400 g per  $10~\text{m}^2$  and water into turf. Apply when grubs are small and feeding near the soil surface, usually in late July or August.

Ants: Apply 200 g per 10 m<sup>2</sup>. Treat ant nests and trails.

Chinch Bugs: Apply 200 g per 10 m<sup>2</sup> at first sign of damage. Water thoroughly. Keep off lawn until dry.

Sod Webworms: Apply 200 g per  $10 \text{ m}^2$  at first sign of damaged. Delay watering or mowing for 12 to 24 hours after treatment.

PRECAUTIONS: Do not store granules with food, feed or drinking water. Do not use in poultry houses or other animal buildings. May cause skin or eye irritations; avoid contact. Avoid inhaling dust from granules. Wash thoroughly with soap and water after using. KEEP OUT OF REACH OF CHILDREN.

WARNING: This product is toxic to fish and crustaceans. Avoid contamination of ornamental fish ponds and fish bowls. Dispose of the container away from food, feed, or water supplies.

FIRST AID: If swallowed, induce vomiting and seek medical attention. Flush contaminated eyes and skin with plenty of water. For eyes, get prompt medical attention.

TOXICOLOGICAL INFORMATION: Chlorpyrifos if a cholinesterase inhibitor. Treat Symptomatically. Atropine by injection only is an antidote.

Reg'd. T.M.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))