

15-JAN-1998

GREENLEAF

WEEVIL & EARWIG BAIT

with Sodium Fluosilicate
FOR CONTROL OF STRAWBERRY ROOT WEEVIL, EARWIGS, CUTWORMS.

ALSO FOR USE UNDER TREES AND FLOWERS SUCH AS RHODODENDRON,
AZALEA, TULIP

CAUTION POISON

DOMESTIC

READ THE LABEL BEFORE USING.

KEEP OUT OF REACH OF CHILDREN

REG. NO. 15376 P.C.P. ACT

GUARANTEE:
Sodium Fluosilicate..... 5%

NET CONTENT: 400 g

GREENLEAF PRODUCTS INC.
4612 DAWSON ST.
BURNABY, B.C.
V5C 5P8

DIRECTIONS FOR USE:

Do not use Greenleaf Weevil & Earwig Bait if rain is predicted. Do not water or irrigate for at least two days after application. If a heavy rain occurs within 24 hours of use, a second application may be necessary.

STRAWBERRIES: Greenleaf Weevil & Earwig Bait is developed to help you control strawberry root weevil and black vine weevil; it is especially advantageous at times when certain dusts or sprays cannot be used. Consult your local agriculturist for the proper time for application. Place a continuous band around the entire field to prevent reinfestation. Scatter a small amount into the

crown of each plant and on the ground around the plants. Use 500 g per 100 m².

EARWIGS: Scatter Greenleaf Weevil & Earwig Bait all over your field or garden, paying special attention to places preferred by earwigs such as fence rows, wood piles, compost heaps, bases of trees and other damp and dark hiding places.

CUTWORMS: Treat the area immediately after the appearance of cutworms or cutworm damage. Scatter Greenleaf Weevil & Earwig Bait on the ground around the plants. Cutworms will contact the bait when they emerge from the ground at night and when they go back into the ground in the morning.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN, dogs, etc. Avoid skin contact. Wash hands after use. Do not store near food or feed. Keep pets and domestic animals away from treated areas.

FIRST AID: IF SWALLOWED, give 2 glasses of water to drink and induce vomiting by inserting a finger into the mouth and touching the back of the throat. Call a doctor or poison control centre immediately. Never give anything by mouth to an unconscious person. IF IN EYES, flush with water for 15 minutes and get medical attention, IF ON SKIN, wash with soap and water.

TOXICOLOGICAL INFORMATION: Alkalinity decomposes the poison. Symptoms of Poisoning: nausea and vomiting, abdominal distress, diarrhea, tremors, convulsions, etc.

DISPOSAL: Do not re-use empty container. Wrap container and discard in household garbage.

NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out on the label and subject thereto. The buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this

service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))