NETTOYEUR DISINFECTANT

A BASE QUATERNAIRE

OMNIQUAD 666

SUPER CONCENTRÉ

SUPER CONCENTRATE

QUATERNARY AMMONIUM

GUARANTEE / GARANTIE:

| Octyl Decyl Dimethyl Ammonium chloride | 3.750% |
|--|---------|
| Dioctyl Dimethyl Ammonium chloride | 1.5% |
| Didecyl Dimethyl Ammonium chloride | . 2.25% |
| Alkyl (C12, 40%, C14 50%, C16 10%) | |
| Dimethyl Benzyl Ammonium chloride | .5.000% |

AOAC Phenol Coefficients Phénolique Staph, aureus (ATCC No. 6538)

104.0 Salmonella typhosa (ATCC No. 6539) 40.6

REGISTRATION NO. 22058 NO. D'ENREGISTREMENT

PEST CONTROL PRODUCTS ACT

LOI SUR LES PRODUITS ANTIPARASITAIRES

COMMERCIAL

READ THE LABEL BEFORE USING

LIRE L'ETIQUETTE AVANT L'EMPLOI

DANGER

POISON

CORROSIVE / CORROSIF

LOT NO.

10 L 20 L

AVMOR(R) 433, Ste-Hélène Montréal (QC) H2Y 2L1

USE DIRECTIONS: A proven "one-step" cleaner - disinfectant - sanitizer - fungicide - mildewstat - virucide in the presence of moderate amounts of organic soil.

Apply to walls, floors and other hard, non-porous surfaces such as tables, chairs, countertops, sinks and bedframes with a cloth, mop so as to thoroughly wet surfaces. For heavily soiled areas, a preliminary cleaning is required. Prepare a fresh solution daily or when used solution becomes visibly dry.

Disinfection: to disinfect hard, non-porous surfaces, treated surfaces must remain wet for 10 minutes.

Hospital Sanitizer: Use 1.5 mL per litre of water. Effective against a broad spectrum of gram negative and gram positive organisms as presented by: Pseudomonas aeruginosa, Staphylococcus aureus, Salmonella choleraesuis, Escherichia coli, Serratia marcescens, Klebsiella pneumoniae, Enterobacter aerogenes, Salmonella schottmuelleri, Streptococcus Faecalis, Shigella dysenteriae, Brevibacterium ammoniagenes.

For schools non-medical Institutional and Industrial disinfection use:

Use 4 mL per litre of water. Allow 10 minutes contact time for disinfection.

Delivers excellent cleaning and germicidal effectiveness against Staphylococcus aureus, Salmonella choleraesuis, and Escherichia coli, and an effective fungicide against Trichophyton mentagrophytes (the athlete's foot fungus) when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas, exercise facilities etc.

Virucidal Performance: A 4 mL per litre of the product is effective against the following viruses: Influenze A/Brazil, Herpes Simplex and Vaccinia, on inanimate environmental surfaces.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. May cause eye damage or skin irritation. Do not get concentrate in eyes or on skin. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin

with plenty of water for at least 15 minutes. For eyes, GET MEDICAL ATTENTION. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. GET MEDICAL ATTENTION IMMEDIATELY. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. AVOID ALCOHOL.

TOXICOLOGICAL INFORMATION: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))