

2000/2005

Cantol

TECH-CIDE

TECH-CIDE is a highly effective ready-to-use formulation for control of insects listed including those having resistance to certain chlorinated hydro-carbons and phosphate insecticides. It possesses rapid kill, good flushing action, and prolonged residual activity. KILLS: ants, brown dog ticks, centipedes, cockroaches, clover mites, crickets, earwigs, firebrats, fleas, flies, gnats, millipedes, mosquitos, paperlice, punkies, sandflies, silverfish, sowbugs, and spiders.

Exposed stages of cadelles, cigarette beetles, dermestids, drugstore beetles, Indian meal moths, Mediterranean flour moths, red flour beetles, saw-toothed grain beetles and weevils.

COMMERCIAL

KEEP OUT OF THE REACH OF CHILDREN

DANGER POISON

READ THE LABEL BEFORE USING

GUARANTEE:

Propoxur.....1%

REGISTRATION NO. 17809 PEST CONTROL PRODUCTS ACT

NET CONTENTS: _____LITRES

Manufactured by: **Cantol Limited**
199 Steelcase Road West, Markham, Ontario L3R 2M4
To Reorder Call Toll Free: 1-800-387-9773

PRECAUTIONS:

May be harmful if swallowed, inhaled, or absorbed through the skin. Avoid breathing of spray mist and provide adequate ventilation of area being treated. Avoid contact with skin, eyes or clothing. Avoid contamination of food, foodstuffs, food utensils, and food preparation areas. Do not allow children to contact treated areas until surfaces are thoroughly dry. **KEEP OUT OF THE REACH OF CHILDREN.** FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY.

FIRST AID: In case of eye contact, immediately flush eyes with plenty of water for at least 15 minutes. If irritation persists, seek medical attention. If ingested, do not induce vomiting. Contains Petroleum distillate. Call a physician. For skin contact, wash with soap and water. Toxicological information: Propoxur is a cholinesterase inhibitor. Atropine sulfate is antidotal.

DISPOSAL: Do not reuse container. Follow provincial instructions for any required cleaning of the container prior to its disposal. Make empty container unsuitable for use and dispose in accordance with provincial requirements. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of Environmental Protection, Environment Canada.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offense under the Pest Control Products Act to use a control product under unsafe condition.

CONDITIONS FOR USE

GENERAL: Apply TECH-CIDE at the rate of 1 litre per 25 sq. m (one gallon per 1210 sq. ft.). Use a pressurized sprayer with a fine flat spray pattern. Coat surface with a dew-like mist. Apply TECH-CIDE to cracks, crevices, corners, perimeters of rooms, behind baseboards, around window and door frames; behind escutcheon plates; under stoves and sinks; to the under-surface of shelves, drawers and work tables; to elevator pits and shafts; behind wooden or metal panels; at seams, joints, and contiguous surfaces of equipment such as dishwashers and refrigerators; around electric motors and compressors, laundry carts, garbage areas and cans; warm dark moist areas; void spaces, hidden surfaces and quiet undisturbed areas. Apply TECH-CIDE to all harborages and

breeding areas of insects, or to surfaces where they congregate or crawl. Repeat treatment as necessary to prevent or control infestation. Remove pets and cover fish bowls before spraying. Do not spray animals.

ANTS: Give special attention to doors, windows, and ant trails.

COCKROACHES: Thoroughly treat the infested area with special attention to cracks, crevices, around sinks, under surfaces and other hard-to-get-at places, as well as in food handling and storage area and the harborages listed above.

CLOVER MITES, CRICKETS, EARWIGS, MILLIPEDES, CENTIPEDES, SOWBUGS, SCORPIONS AND SPIDERS: Thoroughly spray the interior and exterior perimeter of the infested premises. For clover mites, give special attention to window frames. Do not treat foliage.

FLEAS, FLIES, GNATS, MOSQUITOS, PUNKIES, SANDFLIES (outdoors only): Thoroughly treat all outdoor surfaces where these insects are known to alight or congregate. Treat outside surfaces such as doors, window screens and around other areas, where they may enter the building. Thorough coverage is necessary for maximum control.

BROWN DOG TICKS: Thoroughly treat floor areas, animal sleeping quarters and wherever infestation is suspected. Provide fresh bedding. Do not spray animals.

ACCESSIBLE OR EXPOSED STAGES OF CADELLES, CIGARETTE BEETLES, DRUGSTORE BEETLES, INDIAN MEAL MOTHS, MEDITERRANEAN FLOUR MOTHS, RED FLOUR BEETLES, DERMESTIDS, SAW-TOOTHED GRAIN BEETLES AND WEEVILS: Thoroughly treat walls and floors of infested area with attention to cracks, crevices, corners, and perimeters. Sanitation and dust control are of primary importance. Fumigate or destroy infested merchandise. Remove or cover exposed foods or cooking utensils before spraying.

SILVERFISH, FIREBRAT AND PAPERLICE: Thoroughly treat baseboards, bookcases, and storage areas.

FOR PEST CONTROL IN MEAT AND POULTRY PROCESSING PLANTS: Use TECH-CIDE only in the inedible products areas of meat packing food processing plants. Spraying loading docks and outside areas where insects congregate will aid in preventing reinfestation. Good sanitation and proper waste disposal are

essential in any effective insect control program. Do not contaminate water by cleaning of equipment or disposal of wastes.

IN FOOD PROCESSING AND FOOD STORAGE AREAS: Treat food processing plants early in the season before canning and other processing start. Repeat treatment as necessary, when plant is not in operation. Spraying pallets, loading docks, and outside areas where insects congregate will aid in preventing reinfestation. Do not use in commercial food preparation areas or in edible products areas of food processing plants.

INSTITUTIONAL AND INDUSTRIAL: TECH-CIDE can be used around non food areas in hospitals (when patients are out of the area), hotels, schools, theatres, housing developments, warehouses, transportation equipment such as trucks, ships, and railroad cars (when they are empty of produce or merchandise). Remove animals from the area when making applications around zoos.

CONSULT YOUR CANTOL REPRESENTATIVE FOR FURTHER DETAILS.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))