

93.11.29

VET-KEM FLEA KILLER

DOMESTIC

PRESSURIZED SPRAY

GUARANTEE:

(S)- Methoprene.....0.015%
Propoxur.....0.200%

REGISTRATION NO. 21683 P.C.P. ACT

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

WARNING

FLAMMABLE
EXPLOSIVE
EYE IRRITANT

NET CONTENTS: 454g

SANDOZ

SANDOZ AGRO CANADA, INC.
SUITE 302, PLAZA 4, 2000 ARGENTIA RD.
MISSISSAUGA, ONTARIO L5N 1W1

Vet-Kem is a registered trademark of Sandoz Ltd.

Vet-Kem Flea Killer kills adult and pre-adult fleas. Prevents pre-adult fleas from hatching into adult biting fleas for 210 days.

Vet-Kem Flea Killer contains a unique combination of ingredients that kills adult and pre-adult fleas. It reaches fleas hidden in carpets, rugs, upholstery and pet bedding. Protects your home from re-infestation and flea buildup, your pets and family from bites.

One treatment with Vet-Kem Flea Killer gives continuous protection against pre-adult fleas for 210 days.

Also kills American dog and American brown ticks, cockroaches, ants, spiders, crickets, silverfish, and pillbugs on contact.

DIRECTIONS: Fleas: Hold can 60-90 cm from surfaces to be treated. Be sure to apply uniformly using a sweeping motion to carpets, rugs, drapes and all surfaces of upholstered furniture. Be sure to treat pet bedding as this is a primary hiding place for fleas. No need to remove pet bedding after treatment. DO NOT TREAT PETS WITH THIS PRODUCT. Re-treat as necessary.

One can of Vet-Kem Flea Killer will treat a surface area equivalent to approximately four 3m x 3.5m rooms. Avoid wetting carpeting and furniture. A fine mist or spray applied uniformly is all that is necessary to kill fleas.

Effective flea control in premises is best achieved if the pet is also treated with Vet-Kem Ovitrol Plus Flea Spray.

Ticks: To effectively kill ticks with Vet-Kem Flea Killer follow the directions for fleas.

To kill cockroaches, ants, spiders, crickets, silverfish, and pillbugs: apply directly to pests.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. Avoid breathing mist. May cause eye irritation. Avoid contact with skin, eyes, or clothing. Wash hands thoroughly with soap and water after use.

Do not use on humans, plants, animals, food stuffs, food utensils, fish bowl or animal feed areas. Do not use in food handling or food storage areas.

Contents under pressure. Do not use in presence of open flame or spark. Do not store at temperatures over 50°C. Do not puncture or incinerate. Keep children and other occupants off treated area until dry.

FIRST AID: If swallowed - Call a physician. Do not induce vomiting. If inhaled - Remove victim to fresh air. Apply artificial respiration if indicated. If on skin - Remove contaminated clothing and wash affected areas with soap and water. If in eyes - Flush eyes with plenty of water. Call a physician if irritation persists.

TOXICOLOGICAL INFORMATION: May present aspiration hazard. Atropine should be administered only if symptoms of cholinesterase inhibition appear.

DISPOSAL: When container is empty, press button to release all

pressure, then wrap and discard with household garbage.

HOT LINE: 1-800-766-7378

DISTRIBUTED BY:
JANSSEN PHARMACEUTICA

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))