

Net Contents: bulk

For technical use

## **A.D.Q.2-J (technique)**

### **FOR MANUFACTURING, FORMULATING OR REPACKING**

#### **CAUTION FLAMMABLE**

REGISTRATION NO. 28520, PEST CONTROL PRODUCTS ACT

READ LABEL BEFORE USING  
PREVENT ACCESS BY UNAUTHORIZED  
PERSONNEL  
HUMAN OR ANIMAL CONSUMPTION PROHIBITED

Quebec Maple Syrup Producers Federation  
Maison de l'UPA  
555 boul. Roland-Therrien, Bureau 525  
Longueuil, Quebec J4H 4G5  
(450) 679-7021

**GUARANTEE:** Ethanol .....92.5 %

#### **DANGER: FLAMMABLE LIQUID – EYE IRRITANT**

**Available information notes that long-term repeated exposure to ethanol may result in the development of progressive liver injury with fibrosis or exacerbate liver injury produced from other causes. Repeated ingestion of ethanol by pregnant mothers has been shown to adversely affect the central nervous system of the fetus, producing a collection of effects which together constitute the fetal alcohol syndrome. These effects include mental and physical retardation, disturbances of learning, motor and language deficiencies, behavioural disorders, and small head size.**

**DIRECTIONS FOR USE:** To be used only in the manufacture of a pest control product which is registered under the Pest Control Products Act.

**PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN.** Inhalation of vapours may cause respiratory tract irritation. Harmful if swallowed or inhaled. Avoid contact with skin, eyes and clothing, as well as inhalation of spray mist. Wear chemical-resistant gloves to handle and apply the product. Wash thoroughly with soap and water after use. Remove contaminated clothing and wash before wearing again. Avoid any contact of the product with food or feed. Pregnant women and women planning a pregnancy should not be exposed to this product.

**FIRST AID:** Inhalation: Remove the source of vapor. Move victim to fresh air. If breathing has stopped, begin artificial respiration. Seek medical attention.

Eye contact: Flush thoroughly with water for at least 20 minutes, holding the eyelid open. Seek medical attention. Remove contact lenses, if present, then continue rinsing eye(s). Seek medical attention IMMEDIATELY.

Skin contact: Flush thoroughly with water for at least 20 minutes. Remove contaminated clothing. Seek medical attention IMMEDIATELY if irritation persists or is severe. Wash contaminated clothing separately before using them again.

Ingestion: If swallowed, dilute by giving plenty of water to drink. DO NOT give anything by mouth to an unconscious person. IMMEDIATELY contact a doctor or poison control centre.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention. Take the affected person to a safe and uncontaminated area. Seek medical attention IMMEDIATELY for any toxic reaction or irritation that persists or is severe.

**TOXICOLOGY INFORMATION:** Ingestion of A.D.Q.2-J (technique) may cause central nervous system effects. Available information notes that long-term repeated exposure to ethanol may result in the development of progressive liver injury with fibrosis or exacerbate liver injury produced from other causes. Repeated ingestion of ethanol by pregnant mothers has been shown to adversely affect the central nervous system of the fetus, producing a collection of effects which together constitute the fetal alcohol syndrome. These include mental and physical retardation, disturbances of learning, motor and language deficiencies, behavioural disorders, and small head size.

**STORAGE:** Keep in original container during storage. Store in a cool, dry, well ventilated place, away from seed, feed, fertilizers and other pesticides. Keep away from fire, open flame and other sources of heat.

**DISPOSAL:** Canadian formulators using this product should dispose of unwanted active ingredient and containers in accordance with municipal or provincial regulations. For additional details and information on clean up of spills, contact the provincial regulatory agency or the manufacturer.

**NOTICE TO USER:** This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.