#### CITRUS DISINFECTANT

PROD.# 4025

# CLEANER, DEODORIZER, DISINFECTANT AND FUNGICIDE

Designed for Hospital, Food Plant, Commercial and Institutional Use

CAUTION

## CORROSIVE

REGISTRATION NO. 15355
PEST CONTROL PRODUCTS ACT

D.I.N. NO. 482528

CROWN CHEMICAL PRODUCTS INC. 6125 NETHERHART ROAD MISSISSAUGA, ONTARIO L5T 1G5

Net Contents: 4 Litres

20 Litres

210 Litres

READ LABEL BEFORE USING

USE DIRECTIONS: DISINFECTION: Use at 16 mL per litre. This product will be effective against Pseudomonas aeroginosa PRD-10 at this level. This has been substantiated by the AOAC Use Dilution Confirmation Test. At this level, the product is fungicidal against pathogenic fungi. For best results, use CITRUS DISINFECTANT with a cloth or mop and apply to walls, floors and other hard surfaces. For heavy soil or organic matter, a pre-cleaning step is recommended.

SANITATION - If used for sanitation of previously cleaned food

equipment or food contact items, limit the level of active quaternaries to 200 ppm (5 mL per litre of water). No rinse required at this level. This product, when used on environmental, inanimate, hard surfaces at 16 mL per litre of water, is effective against influenza A2, Herpes Simplex, Adenovirus Type 2 and Vaccinia viruses.

#### GUARANTEE:

## DISPOSAL:

- 1. Rinse the emptied container thoroughly and add the rinsings to the spray mixture in the tank.
- 2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
- 3. Make the empty container unsuitable for further use.
- 4. Dispose of the container in accordance with provincial requirements.
- 5. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.

**PRECAUTIONS:** Keep out of reach of children. Causes eye and skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food.

FIRST AID TREATMENT: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before re-use. If swallowed, drink milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician or Poison Control Centre.

NOTE TO PHYSICIAN - Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

NOTE TO USER - This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

For industrial & institutional use

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+ ) )