

MAHEU&MAHEU SEWER RODENTICIDE**KILLS RATS & MICE****MOLD RESISTANT • MOISTURE RESISTANT****REGISTRATION NUMBER: 23606 PEST CONTROL PRODUCTS ACT****COMMERCIAL****GUARANTEE:****Diphacinone.....0.005%**

Notification Change

WARNING, CONTAINS THE ALLERGENS WHEAT, SOYBEAN OIL AND LECITHIN**READ THE LABEL BEFORE USING****KEEP OUT OF REACH OF CHILDREN****NET CONTENTS: 20 X 454 g block (9.1 kg)**

Maheu&Maheu inc.

710 rue Bouvier, Suite 195

Quebec City (Quebec) G2J 1C2

Phone: (418) 623-8000

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN, PETS, DOMESTIC

ANIMALS AND WILDLIFE. Do not expose treated bait in areas accessible to children, dogs, domestic animals and wildlife except when enclosed within a tamper resistant bait box. Keep away from feed and foodstuffs. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. Do not get in eyes, on skin or on clothing. Wash arms, hands and face with soap and water after handling and before eating or smoking.

FIRST AID: If in eyes, flush with water for 15 minutes. If on skin, wash with soap and water. If swallowed, give patient one or two glasses of water and induce vomiting by touching back of throat with a finger or blunt object; repeat until vomit fluid is clear. Do not give anything by mouth to an unconscious person. Contact a physician or Poison Control Centre IMMEDIATELY. Take container, label or product name and Pest Control Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. If ingested, Vitamin K₁ in the form of intravenous, intramuscular or subcutaneous injections, or by oral ingestion are suggested remedial treatments for anticoagulant poisoning. The severity of the case measured by establishing prolonged prothrombin times (P.T.) will determine appropriate therapy. Monitoring P.T. will indicate the necessity of repeated treatments.

ENVIRONMENTAL HAZARDS: Keep out of lakes, streams and ponds.

APPLICATION DIRECTIONS:

Place Maheu&Maheu Sewer Rodenticide in locations frequented by the rodents, such as tunnels, feeding areas and runways.

RATS: Use one bait block (454 grams) per placement. Space placements at appropriate intervals - usually 5 - 10 meters (15 to 30 feet) apart. In sewer applications, use wire to secure block above high water mark. Maintain an uninterrupted supply of fresh bait for at least 10 days or until signs of rat activity cease.

MICE: For mice, place 1 block (454 grams) per tamperproof bait station around the perimeter of buildings (food plants, food warehouse, feed mills and farms). Space stations at intervals determined by signs of activity and place them in secluded areas if possible. In some situations placement of bait stations along fences at the limits of the property can help to reduce mice activity around the buildings. In farm buildings, the block can be secured on the walls and beams using nails.

RATS/MICE: Replace contaminated or spoiled bait immediately. Collect and dispose of unconsumed bait and dead exposed animals according to DISPOSAL paragraph. To prevent reinfestation, eliminate food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish bait as needed.

DIRECTIONS FOR USE: Use bait to control the Norway rat (*Rattus norvegicus*), Roof rat (*Rattus rattus*), and House mouse (*Mus musculus*) in and around dwellings, farm buildings, food service establishments (non-food areas), granary bins (empty), processing plants (feed, food, non-food areas) and storage areas (non-food).

SELECTION OF TREATMENT AREAS: Determine areas where rats and/or mice most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been observed. Remove as much food as possible.

STORAGE AND DISPOSAL: DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE AND DISPOSAL.

STORAGE: Store only in original container in a dry place inaccessible to children and pets.

DISPOSAL: Do not reuse empty container. Dispose of unused or spoiled bait in accordance with local requirements. Follow provincial instructions for any required cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information on the disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill and for clean-up of spills.

RODENT DISPOSAL: Dispose of dead rodents in garbage or by burying.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offense under the Pest Control Products Act to use a control product under unsafe conditions.

072302

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.