

95.09.14

NET CONTENTS 4 LITRES

PURINA *EMULSIFIABLE
DISINFECTANT CONCENTRATE

A GENERAL PURPOSE DISINFECTANT
QUATERNARY AMMONIUM TYPE

A-2874

AGRICULTURAL

- FOR - Livestock and poultry building
and equipments
- Milking machines and dairy utensils
- Zoos and fur bearing operations

REGISTRATION NO. 12564 - PEST CONTROL PRODUCTS ACT

GUARANTEE:

N-Alkyl (60% C14, 30% C16, 5% C12, 5% C18)
Dimethyl Benzyl Ammonium Chlorides.....11.0%

N-Alkyl (68% C12, 32% C14)
Dimethyl Ethylbenzyl Ammonium Chlorides.....11.0%

CAUTION POISON

READ THE LABEL BEFORE USING

PROTECT FROM FREEZING

DISTRIBUTED BY/OR MANUFACTURED FOR
Ralston Purina Canada Inc.
550 LABONTE STREET
DRUMMONDVILLE, QC
J2C 5Y4

PURINA DISINFECTANT EMULSIFIABLE CONCENTRATE 4 X

Add 20 mL of Purina Disinfectant Emulsifiable Concentrate to 10 L of water. This dilution provides a concentration in excess of 440 ppm of active ingredients.

General farm use: Add 20 mL to 10 L of water. Thoroughly clean all surfaces before applying disinfectant solution. If cleaning compounds or detergents are used, thoroughly rinse surface before applying disinfectant. Feeders and other equipment should be cleaned and disinfected after animals or birds are moved. Water fountains should be emptied and brushed with disinfectant solution daily.

Dairy sanitation: Immediately after milking, flush all equipment with cool lukewarm water. Scrub equipment in a cleaning solution; then, rinse thoroughly in a solution of Purina Disinfectant Emulsifiable Concentrate using 10 mL to each 10 L of water. Soak at least 2 minutes, allow equipment to dry and protect from contamination. Flush equipment with clean (potable) water before you milk.

Flank and udder wash and teat cup rinse: Use 10 mL of Purina Disinfectant Emulsifiable Concentrate in 10 L of warm water. Use a clean towel for each cow. Change solution when it becomes dirty.

Pig parlors, livestock barns, zoos: Use 20 mL to 10 L of water to disinfect equipment like feeders, waterers, mixers and cages.

Disposal:

1. Rinse the emptied container thoroughly and add the rinsings to treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal or reconditioning.
3. Dispose of the container in accordance with provincial requirements.
4. For information on the disposal of unused, unwanted product and the cleanup of spills contact the regional office of Environment Canada.
5. For small spills. Recover free liquid. Soak up residue with an absorbent substance. DO NOT FLUSH INTO SURFACE STREAMS, INFORM ENVIRONMENT CANADA AS IN PARAGRAPH 4.

DILUTION CHART FOR PURINA DISINFECTANT
EMULSIFIABLE CONCENTRATE

For General Disinfectant (440 ppm)	
Amount of Disinfectant	Litres of water
20 mL	10 L
200 mL	100 L
2 L	1000 L

Note: Avoid contamination of food. Do not use with soap or other cleaners.

Cautions: Protect from freezing. KEEP OUT OF REACH OF CHILDREN.

First Aid Instruction: In undiluted disinfectant is accidentally spilled on skin, wash immediately with water. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water, avoid alcohol, call a physician immediately.

Toxicological Information: Moderate. Obtain medical attention.

Notice to User: This control product is to be used in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

P.C. 8410

*Registered Trade Mark - Ralston Purina Company
Ralston Purina Canada Inc. Registered User
QUALITY CONTROLLED BY PURINA RESEARCH

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label

information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))