CAUTION:

DUSTBANE

QUAVO PLUS II

DETERGENT GERMICIDE LIQUIDE CONCENTRE

GERMICIDAL DETERGENT LIQUID CONCENTRATE

Fongicide-détruit Staphylococcus - Salmonella - Pseudomonas - Virucide

Staphylocidal - Salmonellacidal - Pseudomonacidal Fungicidal - Virucidal

GARANTIE:

Chlorure d'ammonium octylique décylique diméthylique 2.034% Chlorure d'ammonium dioctylique diméthylique 0.814% Chlorure d'ammonium didécylique diméthylique 1.221% Chlorure d'ammonium alkylique (40% C12, 50% C14, 10% C16) diméthyl benzylique 2.713%
GUARANTEE:
Octyl decyl dimethyl ammonium chloride

COMMERCIAL

adequately rinsed with potable water.

Surfaces subject to direct food contact should be

READ THE LABEL BEFORE USING

LIRE L'ETIQUETTE AVANT L'USAGE

REGISTRATION NO. 22061

PEST CONTROL PRODUCTS ACT

NO. D'ENREGISTREMENT 22061

LOI SUR LES PRODUITS ANTIPARASITAIRES

DIN 00850098

WARNING / CAUTION

ATTENTION / AVERTISSEMENT

CORROSIVE / CORROSIF

POISON

CONTENU NET

NET CONTENTS

LES PRODUITS DUSTBANE LIMITEE
C.P. 8381
Ottawa, Ontario
K1G 3K1

DUSTBANE PRODUCTS LIMITED

Box 8381
Ottawa, Ontario

K1G 3K1

D'un océan à l'autre

From Coast to Coast

QUAVO PLUS II is Dustbane's newest generation of quaternary one-step disinfectant-cleaners. In addition, QUAVO PLUS II is an effective sanitizer, virucide, fungicide and mildew-stat. To simulate actual use conditions, QUAVO PLUS II has been tested in hard water (400 ppm) and in the presence of a 5% serum contamination.

QUAVO PLUS II may be used on all washable surfaces including floors, walls, furniture, porcelain, basins, toilets, sinks, counter-tops and garbage pails. QUAVO PLUS II is intended for use in hospitals, nursing homes, institutions, schools, restaurants, office buildings, factories and food processing plants.

DIRECTIONS FOR USE:

DISINFECTION: When mixed with potable water at a rate of 13 mL/L (1:80, 2 oz./gal.), QUAVO PLUS II is an effective disinfectant, fungicide and virucide. AOAC "Use Dilution Tests" have proven QUAVO PLUS II effective against Pseudomonas aeruginosa, Salmonella choleraesuis and Staphylococcus aureus. AOAC fungicidal tests were performed using Trichophyton mentagrophyte as the test species. Virucidal properties were determined using Influenza A/Brazil, Vaccinia and Herpes Simplex, types I and II.

Apply the solution (13 mL/L) of QUAVO PLUS II using a sponge, mop or cloth and allow the treated surfaces to remain wet for 10 minutes. Rinsing is not required for non-food contact areas. Surfaces subject to direct food contact should be adequately rinsed with potable water. Heavily soiled surfaces may require a pre-cleaning step.

SANITIZING: When mixed with potable water at a rate of 4~mL/L (1:250), QUAVO PLUS II effectively sanitizes non-porous non-food contact areas. Allow treated surfaces to remain wet for 60 seconds.

MOLD AND MILDEW: When mixed at a rate of 13 mL/L, QUAVO PLUS II effectively inhibits the growth of mold and mildew. Apply the solution and allow it to dry on the treated surface. Repeat when mildew growth returns.

HIV-1: QUAVO PLUS II may be used for cleaning and decontamination of hard surfaces exposed to blood or other body fluids that contain HIV-1 (Human Immunodeficiency Virus). Thoroughly clean all hard surfaces, removing blood and body fluids prior to disinfection. Apply QUAVO PLUS II in accordance with the directions given for disinfection above. Wear protective clothing including latex gloves, gown, mask and eye goggles. Blood, body fluids, cleaning materials and clothing should be autoclaved and disposed of according to local regulations.

PRECAUTION: Keep out of the reach of children. Danger - corrosive to eyes. Do not get in eyes, on skin or on clothing. Wear protective gloves and safety glasses when handling concentrate. Harmful if swallowed. Avoid contamination of food.

FIRST AID: If splashed in eyes or on skin, flush with water for 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing. If swallowed, promptly drink large quantities of milk, egg whites, gelatin or if these are not available, water. Avoid alcohol. Call a physician immediately.

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings

- to treatment site.
- 2. Follow provincial instructions for any required additional cleaning of the container and its disposal or reconditioning.
- 3. Dispose of the container in accordance with provincial requirements.
- 4. For information on the disposal of unused, unwanted product and the cleanup of spills contact the regional office of Environment Canada.
- 5. For small spills. Recover free liquid. Soak up residue with solids absorbent. DO NOT FLUSH INTO SURFACE STREAMS. INFORM ENVIRONMENT CANADA AS IN #4.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))