

28-JUNE-2005

06-MAR-2007 Notification of a change in Registrant address.

# HALOBRIQ NDC

**Recirculating Cooling Tower Chlorinating Agent**

**GUARANTEE:**

Available Chlorine Present as Sodium Dichloro-s-Triazinetrione .....56%

**COMMERCIAL**

**CAUTION**



**POISON**



**CORROSIVE**

**READ THE LABEL BEFORE USING  
KEEP OUT OF REACH OF CHILDREN**

REGISTRATION NO. 27276 PEST CONTROL PRODUCTS  
ACT

NET CONTENTS: 22.7; 45; 108 Kg

Notification Change

~~**KLENZOID CO. LTD.**  
265 Watline Ave.  
Mississauga, ON L4Z 1P3  
Phone (905) 712-4000  
Fax (905) 712-4001~~

**KLENZOID CIE LTÉE**  
6500 TransCanada - Suite 110  
Montreal, PQ H4T 1X4  
Phone (514) 342-2121  
Fax (514) 342-0488

KLENZOID CO. LTD. □□  
UNIT 5, 2735 MATHESON BLVD E □□  
MISSISSAUGA ON L4W 4M □

Not intended for use in potable water systems.

For food plant and other industrial use only.

### **DIRECTIONS FOR USE**

#### **RECIRCULATING COOLING WATER SYSTEMS**

HALOBRIQ NDC aids in the control of bacterial, fungal and algal slimes in Evaporative Condensers, Heat Exchange Water Systems, Commercial and Industrial Cooling Towers, Industrial Auxiliary Water Systems, Industrial Process Water, Industrial Disposal Systems and Industrial Scrubbing Systems. This product may be added to the system continuously or intermittently as needed with a wide variety of devices (feeders, bags, buckets) or by the direct placement into the water at a point where it will be uniformly mixed. The frequency of feeding duration of the treatment will depend on the severity of the contamination. Badly fouled systems must be cleaned before treatment is begun.

### **FOR CONTROL OF BACTERIA, FUNGI AND ALGAE**

#### **INTERMITTENT, SLUG METHOD OR CONTINUOUS FEED METHOD**

**INITIAL DOSE:** When the system is noticeably fouled, add HALOBRIQ NDC at a rate of 18 to 90 grams per 1,000 litres of water in the system to achieve 1-5 ppm total residual halogen as chlorine, as measured by a suitable test kit. Repeat dosage until residual is achieved.

**SUBSEQUENT DOSE:** When microbial control is evident, add HALOBRIQ NDC at the rate of 3.6 to 18 grams per 1,000 litres of water in the system to achieve 1-5 ppm total residual halogen as chlorine, as determined by a suitable test kit. Repeat periodically as needed to maintain control.

### **PRECAUTIONS**

**KEEP OUT OF REACH OF CHILDREN.** Strong oxidizing agent. May cause fire or explosion if contaminated. Dangerous gas formed when mixed with acid. Do not mix with any other chemical. Avoid contact with skin and eyes. Harmful if swallowed. Keep container closed and store in a cool, dry location.

### **FIRST AID:**

**In case of contact,** immediately flush eyes or skin with plenty of water for at least 15 minutes. **For eyes,** call a physician. Remove and wash contaminated clothing before reuse.

**If swallowed,** drink promptly a large quantity of milk, egg whites, gelatin solution: or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician or contact a poison control center IMMEDIATELY. Take container, label or product name and PEST CONTROL PRODUCT Registration Number with you when seeking medical attention.

### **TOXICOLOGICAL INFORMATION:**

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsions may be needed.

### **ENVIRONMENTAL HAZARDS:**

This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds or public water.

**DISPOSAL:**

1. Triple- or pressure-rinse the empty container. Add the rinsings to the treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

**NOTICE TO USER:**

This control product is to be used only in accordance with the directions on this label. It is an offence under the *Pest Control Products Act* to use a control product under unsafe conditions.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.