

92.01.20

HC 107

BIOCIDES

READ THE LABEL BEFORE USING

INDUSTRIAL

GUARANTEE:

N-ALKYL (5% C12, 60% C14, 30% C16, 5% C18)
DIMETHYL BENZYL AMMONIUM CHLORIDE 5.0%

N-ALKYL (50% C12, 30% C14, 17% C16, 3% C18)
DIMETHYL ETHYL BENZYL AMMONIUM CHLORIDE 5.0%

REGISTRATION No. 20501

PEST CONTROL PRODUCTS ACT

NET CONTENTS: XWGTX

LOT # XBATX

Drew Chemical Limited
525 Finley Ave.
Ajax, Ontario
L1S 2E5

Tel: (416) 683-0150 Fax: (416) 427-0688

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out on the

label and subject thereto. The buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

A QUATERNARY AMMONIUM BIOCIDES FOR USE IN OPEN COOLING WATER SYSTEMS.

DIRECTIONS FOR USE:

Application of HC 107 will depend on the type of equipment to be treated and the type and quantity of microbiological life involved. Initial dosage should be 3 L of HC 107 per 10,000 litres of water in the system (30 ppm of active ingredient). In presence of algal/fungal slimes, use 6 L of HC 107 per 10,000 litres of water in the system (60 ppm of active ingredient). For maintenance of system, add 1 L of HC 107 for each 10,000 litres of water (10 ppm of active ingredient) for continuous feed, 1 L to 3 L of HC 107 per 10,000 litres of system water (10 to 30 ppm of active ingredient) once a week.

Slug additions should be made to cooling tower basin or sump, or at an alternative point which provides good mixing.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Causes eye and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Do not use in potable water systems.

FIRST AID INSTRUCTIONS:

In case of contact immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician immediately.

TOXICOLOGICAL INFORMATION:

Probably mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal or reconditioning.
3. Dispose of the container in accordance with provincial requirements.
4. For information on the disposal of unused, unwanted product and the cleanup of spills contact the regional office of Environment Canada.
5. For small spills, recover free liquid. Soak up residue with solids absorbent. DO NOT FLUSH INTO SURFACE STREAMS. INFORM ENVIRONMENT CANADA AS IN #4.

KEEP FROM FREEZING

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))