

91.06.04

ALGAE OUT

GRANULAR

TWICE-A-SEASON
ALGAECIDE

DOMESTIC

CAUTION

POISON

CORROSIVE

READ THE LABEL BEFORE USING

REG. NO. 21956

P.C.P. ACT

GUARANTEE

Sodium Dichloro-s-triazinetriene.....40.6%
Copper, as elemental present as copper sulphate.....13.6%

1 kg

AQUA PRO CHEMICAL INC.
P.O. BOX 73,
WOODBIDGE, ONT.
L4L 1A9

AVAILABLE FROM POOL PROFESSIONALS ONLY

In most pools. ALGAE-OUT is only used twice during the swimming season - once when pool is opened in spring and again just before hotter weather. ALGAE-OUT may also be used for effective pool water winterizing in fall.

PRECAUTIONS

Keep out of reach of children. Dangerous gas formed when mixed with acid. Do not mix with any other chemical. Strong oxidizing agent. May cause fire or explosion if contaminated. Avoid contact with skin and eyes. Harmful if swallowed. Keep container closed and store in a cool, dry location. Rinse

container thoroughly before discarding. Do not reuse. To dispose of chemical, flush into sewer with large quantities of water.

FIRST AID

If splashed in eyes or on skin, flush thoroughly with water for 15 minutes. For eyes contact, get medical attention. If swallowed, drink one glass of milk or water. Call a Physician IMMEDIATELY.

DIRECTIONS FOR USE

1. Maintain proper daily levels as determined by testing kit.

Free available chlorine:	1.0 - 3.0 ppm
PH:	7.2 - 7.6
Total Alkalinity:	80 - 120 ppm
Calcium Hardness:	200 - 300 ppm
2. For best results use ALGAE-OUT in evening after pool use is discontinued. Use 180-200 grams for each 10,000 litres of water by broadcasting directly across the surface of the water. This dosage will provide 4 ppm chlorine for immediate algae relief and 1 ppm chellated copper sulphate for ongoing protection against all strains of algae spores.
3. Allow chlorine residual to return to 1.5 ppm range before re-using pool.
4. Maintain normal chlorine residual maintenance program. (Note: unlike many algaecides. ALGAE-OUT will not consume or destroy normal chlorine residuals.)
5. Maintain pH of 7.2 - 7.6. High pH, over 8.0, may cause staining of pool walls and bottom.
6. If algae persists, repeat dosage.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))