

10-JUN-1996

Later's

ROOT-GUARD(TM)

Soil Insect Killer

Kills Cutworms, Root Maggots, European  
Chafer Larvae, Japanese Beetle Larvae,  
Sowbugs, White Grubs, Ants and  
Earwigs. Contains Dursban\*

PROTECTS YOUR LANDSCAPE INVESTMENT

CONTROLS INSECTS YOU CAN'T SEE

DOMESTIC

READ THE LABEL BEFORE USING

REG. NO. 16158 P.C.P. ACT

500 g

GUARANTEE:

Chlorpyrifos 0.5%

Later Chemicals Ltd.  
12080 Horseshoe Way  
Richmond, B.C.  
V7A 4V5

DIRECTIONS: Later's Root-Guard Soil Insect Killer is Ready-To-Use granular formulation. Apply when seeding, planting and transplanting to ensure control of listed insects. Do not make more than 2 applications per season, unless otherwise indicated.

Controls:

Ants  
 Chinch Bugs  
 Crickets  
 Cutworms  
 Earwigs  
 European Chafer Larvae  
 Japanese Beetle Larvae  
 Root Maggots  
 Sowbugs  
 Sod Webworm  
 Spiders  
 White Grubs

1 level tablespoon = 10 g  
 25 m2 = 5 long paces by 5 long paces

HOW TO USE:

Ornamental Shrubs & Bushes: Sprinkle 500 g over 12.5 m2 (4 paces by 3 paces) and work into soil.

Vegetables: Sprinkle 500 g over 25 m2 before planting and work into soil. Use on vegetables listed below. Do not make more than one application per year. Do not use on green bunching onions.

Days to Harvest Limitations:

Broccoli	32
Brussel Sprouts	32
Cabbage	32
Carrots	60
Cauliflower	32
Celery	70
Chinese Cabbage	32
Cucumber	60
Green Pepper	40
Onions	60
Potatoes	7

Sweet Corn	70
Tomatoes	70

Turf & Lawns:

To control White Grubs, European Chafer larvae and Japanese Beetle larvae sprinkle 500 g over 12.5m<sup>2</sup> and water turf. Apply when grubs are small and near soil surface, usually in late July or August. To control Ants, Chinch Bugs and Sod Webworm sprinkle 500 g over 25m<sup>2</sup>. Treat Ant nests and trails.

For Chinch Bugs water thoroughly after application. For Sod Webworms delay watering or mowing for 12 to 24 hours.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Keep children and pets off treated areas until watered in and dry. May cause irritation to skin or eyes; avoid contact. Avoid inhaling dust. Wash thoroughly with soap and water after using.

ENVIRONMENTAL HAZARDS: Toxic to fish and crustaceans. Do not apply to or contaminate ponds or water supplies. Do not use in poultry houses or other animal buildings.

FIRST AID: If swallowed, induce vomiting and seek medical attention immediately. Never give anything by mouth to an unconscious person. If in eyes, flush with water for 15 minutes and get medical attention. If on skin, wash with soap and water.

TOXICOLOGICAL INFORMATION: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine by injection only is an antidote.

STORAGE: Keep product in original container. Store in a cool, dry place away from food.

DISPOSAL: Do not re-use container. Wrap container and dispose of in regular garbage.

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

\*Dursban is a registered Trademark of DowElanco

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))