

96.04.02

DOMESTIC

500 mL

TREATS 1100m2

C-I-L

DANDELION KILLER

Before After

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL BEFORE USING

REG. NO. 12438 P.C.P. ACT

CAUTION POISON

GUARANTEE:

2,4-D 250 g per litre  
(present as amine)

NU-GRO CORPORATION  
Woodstock, Ontario N4S 8P6  
Laval, Quebec H7S 1G3  
Calgary, Alberta T2H 2S1

Made in Canada

C-I-L Dandelion Killer is a preferred product for users who do not wish to kill clover in their lawns.

DIRECTIONS

(5 mL = 1 teaspoon 15 mL = 1 tablespoon) Use 45 mL in 10 L of water per 100 m2 of lawn area. Controls most broadleaved weeds (Dandelion, Plantain, Ragweed, Ground Ivy, Shepherd's-Purse,

etc.)

HOW AND WHEN TO APPLY - Apply with a pressure sprayer using a coarse spray or a watering can with a fine rosette spray. Spray to give a thorough coverage of weeds without excessive run-off. Apply in late spring or early fall when weeds are actively growing and temperatures are above 10°C. Do not spray when rain is forecast and avoid spraying during hot, dry spells. DO NOT water within 24 hours. Delay mowing for several days after application. A repeat application may be necessary. Killing action begins in 5-7 days.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Causes irritation of eyes and skin. Avoid contact with eyes, skin or clothing. Avoid spray drift onto flowers, vegetables, fruits, ornamentals, and other susceptible plants. Coarse sprays are less likely to drift. Do not use on freshly seeded lawns or bent grass. Apply only when there is no hazard from drift. Watering cans, sprayers, etc. used to apply 2,4-D type weedkillers should not be used for any other purpose. Wash equipment thoroughly after use. Avoid contamination of food, feed, fertilizer, seed, pesticides or any body of water. Do not store diluted spray. Keep product in original container during storage.

NOTE - Clippings from a freshly sprayed lawn should not be used as a mulch. Store above 0 deg. C.

PROTECTIVE CLOTHING: Wear long-sleeved shirt, long pants, sock, shoes and chemical-resistant (e.g. rubber) gloves.

OPERATOR USE PRECAUTIONS: Rinse gloves before removal. Wash hands before eating, drinking, using tobacco or using the toilet. If pesticide penetrates clothing, remove immediately; then wash thoroughly and put on clean clothing. Remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water, then shower. Re-use gloves for pesticide application only.

Re-entry Interval: Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treated areas until spray has thoroughly dried.

Maximum Application Frequency: For good turf/lawn management, normally two applications per year per treatment site are adequate. This does not include spot treatments.

DISPOSAL: Dispose of empty container with household garbage.

FIRST AID:

If on skin, wash with soap and water.

If in eyes, flush with water for 15 minutes and get medical aid.

If swallowed, obtain medical attention or contact a poison control centre.

For additional information, emergency, spills or fire call 1-800-268-2806.

C-I-L is a registered trademark of ICI Canada Inc. NU-GRO Corporation is a Registered User.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))