VIP 915 MW

METAL WORKING FLUID

PRESERVATIVE AND MICROBIOCIDE

ULTRAFILTRATION AND MEMBRANE ANTIFOULANT

COMMERCIAL

GUARANTEE:

5-Chloro-2-methyl-4-isothiazolin-3-one	1.13%
2-Methyl-4-isothiazolin-3-one	0.37%

REGISTRATION No. 23294
PEST CONTROL PRODUCTS ACT

DANGER POISON

CORROSIVE

READ THE LABEL BEFORE USING

LOT 082098

Net Weight 228 Kg

Venerus International Purification Inc. RR#6, Guelph, Ontario N1H 6J3 (519) 823-1252

PRECAUTIONS HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS

DANGER: CORROSIVE
CAUSES EYE DAMAGE AND SKIN BURNS
MAY CAUSE ALLERGIC SKIN REACTION
MAY BE HARMFUL IF INHALED
MAY BE FATAL IF SWALLOWED OR ABSORBED THROUGH SKIN

Do not get in eyes, on skin, on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid breathing vapour or mist. Do not take internally. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of waters. Apply this product only as specified on this label.

STORAGE AND DISPOSAL

PROHIBITIONS

The product as supplied evolves gas (largely carbon dioxide) slowly. To prevent buildup of pressure the product is packaged in specially vented containers. Keep this product in the original container when not in use. Container must be stored and transported in an upright position to prevent spilling the contents through the vent. Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. If plastic, do not reuse empty container.

DISPOSAL

- 1. Rinse the emptied container thoroughly and add the rinsings to the treatment site.
- 2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
- 3. Make the empty container unsuitable for further use.
- 4. Dispose of the container in accordance with provincial requirements.
- 5. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.
- 6. For small spills, recover free liquid. Soak up residue with solids absorbent. **DO NOT FLUSH INTO SURFACE STREAMS. INFORM ENVIRONMENT CANADA AS IN #4.**

NOTICE TO USER

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

DIRECTIONS FOR USE

Metal Working Fluid

VIP 915 MW is recommended for the control of bacterial and fungal slime, including sulphate-reducing (sulphide forming) bacteria in soluble oil and other metal working fluid applications. For best results slug treat with 60 - 230 ppm of VIP 915 MW as supplied in accordance with the severity of microbial contamination.

Method of Addition: For fouled systems apply 430-1000 ppm of VIP 915 MW as supplied (43-100 mL/100L) at any point from which the material mixed uniformly throughout the system. Repeat the treatment after three days or as needed to achieve control. After achieving control apply 230 ppm of VIP 915 MW as supplied (23 mL/100L every 7 days or as needed to maintain control.

Fluid Preservation

VIP 915 MW is recommended for the control of bacteria and fungi in the following liquid hydrocarbon fuels, oils, including soluble oils, liquified petroleum gases, aviation fuels, petrochemical feedstocks, kerosene, heating oils, diesel fuels, residual fuels and coal slurries.

Method of Addition: Add VIP 915 MW at 80 - 240 kilos per one million kilos of total system (fuel or oil with water) depending on degree of contamination. This will provide 1.5 - 4.5 ppm active ingredient.

KEEP OUT OF REACH OF CHILDREN: DANGER

FIRST AID

If Swallowed: Do not induce vomiting. Drink promptly a large quantity of milk, egg whites, gelatine solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

If Inhaled: Remove immediately to fresh air. If not breathing, apply artificial respiration. If breathing is difficult, given oxygen. Call a physician.

If On Skin: Wash thoroughly with soap and water. Remove and wash contaminated clothing before reuse. Call a physician.

If in Eyes: Flush with plenty of water for at least 15 minutes. Call a physician.

Toxicological Information: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed. Skin burns and corrosion may be delayed for several hours.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))