

97.10.03

QUAT RINSE

DISINFECTANT/DEODORIZER/SANITIZER

GUARANTEE:

n-Alkyl (C12 5%, C14 60%, C16 30%, C18 5%)  
dimethyl benzyl ammonium chlorides.....5.0%  
n-Alkyl (C12 68%, C14 32%) dimethyl  
ethylbenzyl ammonium chlorides.....5.0%

COMMERCIAL / DIN 02207591

REGISTRATION NO. 24991

PEST CONTROL PRODUCTS ACT

KEEP OUT OF REACH OF CHILDREN

DANGER

CAUSES EYE DAMAGE

FOR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL USE ONLY.

SEE ADDITIONAL PRECAUTIONARY STATEMENTS ON LEFT PANEL

NET CONTENTS: 3.8 LITRES

READ THE LABEL BEFORE USING

LOT # SEE BOTTOM OF CONTAINER

United States Address:  
Essential Industries, Inc.  
P.O. Box 12  
Merton, WI 53056-0012

Canadian Address:  
Essential Industries, Inc.  
4419-33A Avenue  
Edmonton, Alberta T6L 4X2

## DIRECTIONS FOR USE:

**FOOD PROCESSING EQUIPMENT:** For sanitization of previously cleaned food processing equipment and food utensils dilute 30 mL per 15.2 litres of water to provide 200 ppm of active quaternaries. Apply with cloth, mop or sponge. Surfaces should remain wet for 1 minute followed by adequate draining and air drying. Fresh solutions should be prepared daily or when used solution becomes visibly dirty. For mechanical application used solution may not be reused for sanitizing applications.

**HOSPITALS:** For floors, walls and other hard surfaces. In nursing Homes, Institutions, as well as Sink Tops, Garbage Pails, and Restrooms, use concentrate at 105 mL per 19 litres of water. Apply with cloth, mop, or sponge. Treated surfaces must remain wet for 10 minutes. Prepare a fresh solution daily or when used solution becomes visibly dirty. At this level concentrate will be effective against *Pseudomonas aeruginosa* PRD-10. For heavily soiled or contaminated areas, a precleaning step is required.

**DAIRIES:** To sanitize dairy equipment such as tanks, lines, pails, and milk cans, first clean and rinse the equipment thoroughly. Then apply sanitizing solution containing 30 mL to 15.2 litres of water (200 ppm). Apply with cloth, mop or sponge. Surfaces should remain wet for 1 minute followed by adequate draining and air drying. Fresh solution should be prepared daily or when used solution becomes visibly dirty. For mechanical application, used solution may not be reused for sanitizing applications. Follow recommendations of local Health Board.

**HOUSEHOLD:** For sanitizing and disinfecting precleaned floors, walls and non-porous hard surfaces. For Homes, Locker Rooms, Garbage Pails, Sink Tops, Corridors, Offices and Shower Stalls. Clean surface. Apply solution with mop or cloth. Sanitize with 30 mL to 15.2 litres of water. Disinfect with 90 mL to 19 litres of water. Treated surfaces must remain wet for 10 minutes. Prepare a fresh solution daily or when used solution becomes visibly dirty. Kills *Staphylococcus aureus* and *Salmonella choleraesuis*.

**RESTAURANT AND BAR RINSE:**

1. Scrape and prewash utensils and glasses whenever possible.
2. Wash with a good detergent or compatible cleaner (a commercial cleaner or detergent can be recommended).
3. Rinse with clean water.
4. Sanitize in a solution of 30 mL to 15.2 litres of water (200 ppm). Immerse all utensils for at least two minutes or for a contact time specified by governing sanitary code.
5. Place sanitized utensils on a rack or drainboard to air dry.

PRECAUTION: KEEP OUT OF REACH OF CHILDREN. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food. Remove and wash contaminated clothing.

FIRST AID INSTRUCTIONS: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink egg whites or gelatin solution, or if these are not available, drink large quantities of water. Call a physician or poison control centre immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

TOXICOLOGICAL INFORMATION: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to treatment site.

2. Follow provincial instructions for any required additional cleaning of the container prior to disposal.
3. Make the container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.

DO NOT FLUSH INTO SURFACE STREAMS.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))