

93.06.11

J12

ANCO

SUPERIOR WATER-TREATING SERVICE

SODIUM HYPOCHLORITE

INDUSTRIAL / INSTITUTIONAL

NOT FOR RETAIL SALE

WARNING

CORROSIVE

DANGEROUS GAS FORMED WHEN MIXED WITH ACID

STORE UPRIGHT IN A COOL DARK PLACE

READ THE LABEL BEFORE USING

REGISTRATION NO. 23116  
PEST CONTROL PRODUCTS ACT

PIN 1791

HYPOCHLORITE SOLUTION

GUARANTEE:

AVAILABLE CHLORINE  
10.8% W/W  
(12.6% W/V)  
WHEN PACKED

NET CONTENTS: LITRES

ANDERSON CHEMICAL COMPANY CANADA LTD.  
30 Pacific Court, Unit 3  
London, Ontario  
Canada  
N5V 3K4

Tel: (519) 659-9762 Fax: (519) 659-6231

PRECAUTIONS: Keep out of reach of children. Dangerous gas formed when mixed with acid. Do not mix with any other chemical. Avoid contact with skin and eyes. Harmful if swallowed. Keep container tightly capped and stored upright in a cool location. Rinse container thoroughly before discarding. To dispose of chemical, flush into sewer with a large quantities of water. Use only as directed.

FIRST AID TREATMENT: Contains Sodium Hypochlorite. If splashed in eyes or on skin, flush thoroughly with water for 15 minutes. For eye contact, get medical attention. If swallowed, drink one glass of milk or water. Keep patient warm. Call a physician IMMEDIATELY.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal or reconditioning.
3. Dispose of the container in accordance with provincial requirements.
4. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of Environment Canada.
5. For small spills. Recover free liquid. Soak up residue with solids absorbent. DO NOT FLUSH INTO SURFACE STREAMS. INFORM ENVIRONMENT CANADA AS IN #4.

USES: For general sanitation, disinfecting, bleaching - use 30 ml of this product per 5 litre of water. For specific uses...in water treatment, sewage and waste treatment...ask your distributor for technical assistance.

FOR SANITARY SWIMMING & WADING POOL WATER: Use this product daily for maintaining sanitary pool water. Also use for SHOCK TREATMENT and OPENING/CLOSING your pool. This product is recommended for all types of pools. \* Does not damage or clog filters \* Effective in hard or soft water \* Ready to use - NO PREMIXING

DIRECTIONS FOR USE: REGULAR TREATMENT Maintain recommended daily levels as determined by testing kit:

|                          |               |
|--------------------------|---------------|
| Free available chlorine: | 1.0 - 3.0 ppm |
| pH:                      | 7.2 - 7.8     |
| Total alkalinity:        | 100 - 120     |
| Calcium hardness:        | 200 - 300 ppm |

1. Before adding this product test the pH and adjust to within the 7.2 to 7.8 range. Add acid if pH is high. Add soda ash if pH is low.

2. Chlorinate daily to maintain proper chlorine residue with 250 mL of this product per 10,000 litres of pool water, or as needed.

NOTE: Hot weather, heavy pool usage, and rain may require higher dosage rates to maintain proper chloride residuals.

OPENING NEW POOLS: Superchlorinate (SHOCK) pool water by adding to the pool 1 litre of this product per 10,000 litres of pool water. For best results superchlorinate at dusk.

OPENING/CLOSING POOL: For opening/closing pool, superchlorinate (SHOCK) weekly with 1 litre of this product per 10,000 litres of pool water when average temperature is 25C-32C. Otherwise, superchlorinate (SHOCK) every other week.

SHOCK TREATMENT: Superchlorinate (SHOCK) weekly with 1 litre of this product per 10,000 litres of pool water when average temperature is 25°C - 32°C. Otherwise, superchlorinate (SHOCK) every other week.

ALGAE CONTROL: For visible algae, superchlorinate (SHOCK) using 2 litres of this product per 10,000 liters of pool water. Heavy algae infestation may require dosages up to 3 litres per 10,000 litres. Vacuum pool when dead algae settles.

WADING POOLS: Chlorinate daily to maintain a chlorine residuals of 3 - 5 ppm by adding 45 mL of this product per 1,000 of pool water, or as needed.

NOTE: For outdoor pools, chlorine residuals can be protected from destruction by sun's rays by adding a stabilizer (cyanuric acid).

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))