

90.01.30

FURADAN(R) CR-10
SYSTEMIC INSECTICIDE

Contains Carbofuran

COMMERCIAL

GUARANTEE:
Carbofuran.....10%

NET WEIGHT 20 KILOGRAMS

REGISTRATION NO. 17940
PEST CONTROL PRODUCTS ACT

FURADAN is a registered trademark of FMC Corporation

D A N G E R P O I S O N

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL BEFORE USING

Call a doctor in case of accident

DISTRIBUTED BY

CHEMAGRO LIMITED
256 Britannia Road East
Mississauga, Ontario, Canada L4Z 1S6

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offense under the PEST CONTROL. PRODUCTS ACT to use a control product under unsafe conditions.

DIRECTIONS FOR USE Read entire label and follow directions closely. Do not handle this product with bare hands.

CROP: Rapeseed and Mustard

INSECT: Flea beetles

DOSAGE: FURADAN CR-10: 2.8 kg/ha

REMARKS: For maximum flea beetle control apply a mixture of FURADAN CR-10 granules and seed preferably with a hoe or press drill. Do not use disc-type seeding equipment. Harrowing after seeding causes loss of efficacy. Mix 2.8 kg of FURADAN CR-10 granules with the seed to be sown per hectare. EXAMPLE: If 7.75 kg of seed is sown per hectare, mix it with 2.8 kg of FURADAN CR-10 (total weight 10.55 kg). The FURADAN CR-10 granules and seed should be thoroughly mixed using a customary mechanical method. BEFORE SEEDING ADJUST THE FLOW FROM THE SPOUTS SO THAT THE REQUIRED WEIGHT OF SEED AND FURADAN CR-10 IS SOWN PER HECTARE. Check fields shortly after rapeseed emerges. Under certain conditions, a follow-up foliar treatment may be necessary. FURADAN(R) 480 Flowable and (R)GUTHION are insecticides which may be used. If seed decay, seedling blight, and damping-off diseases are a problem, treat seed with a recommended fungicide.

DANGER Poisonous by swallowing or inhalation. Do not breathe dust. Do not get in eyes. Wear goggles when exposed to dust. In case breathing of dust during handling cannot be avoided, use a respirator of a type suitable for carbofuran protection such as American Optical Respirator 6058 (filter-cartridges R58) or Willson Agritox Respirator (Cartridge 11P, filter R553). Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals. Do not contaminate feed or foodstuffs. Keep out of areas inhabited by fish, birds, and wildlife, as this product is highly toxic to such animals.

FIRST AID: IF SWALLOWED, vomiting should be induced. Administer water freely and induce vomiting by giving one dose (15 mL) of syrup of ipecac. If vomiting does not occur within 10 to 20 minutes, administer second dose. If syrup of ipecac is not available, induce vomiting by sticking finger down throat. Repeat until vomit fluid is clear. The patient should be lying down with the head below the foot level and facing down or to one side. Professional medical assistance should be secured immediately. DO NOT INDUCE VOMITING TO AN UNCONSCIOUS PERSON OR TO PERSONS IN A CONVULSIVE STATE. IF INHALED, have victim lie down and remain quiet. IF ON SKIN, remove contaminated clothing and immediately wash skin with soap and water. IF IN EYES, flush eyes immediately with plenty of water for at least 15 minutes. Call a doctor immediately.

TOXICOLOGICAL INFORMATION: Symptoms of poisoning are headache,

light-headedness, weakness, nausea, constriction of pupils, blurred vision, cramps, salivation, diarrhea, vomiting. Carbofuran is a reversible cholinesterase inhibitor. Give atropine 2 mg intramuscularly. If in eyes instill one drop of Homatropine. Do not use oximes such as 2-PAM.

DISPOSAL OF EMPTY CONTAINER: Do not reuse container. Completely empty the contents into the pesticide hopper. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements but DO NOT BURN. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of Conservation and Protection, Environment Canada.

NOTICE Seller's guarantee shall be limited to the terms set out on the label and, subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))