

2000/2002

INSECTICIDE

CO-OP ®

SEVIN* LIQUID

INSECTICIDE SUSPENSION

**An Excellent General Control Product for Ornamental
and Garden Pests.**

REG. NO. 19731 P.C.P. ACT

250 mL

DOMESTIC

GUARANTEE: carbaryl 240 g/L

READ THE LABEL AND ATTACHED PAMPHLET BEFORE USING.

DANGER

POISON

Interprovincial Cooperative Limited
P.O. 1050, Saskatoon, Saskatchewan S7K 3M9
Winnipeg • Mississauga • Montreal • Moncton

SEVIN*

NEW! One handed measured dose with no mess.

Unique measuring device is permanently attached to bottle.

Gentle finger tip control for easy measuring of exact amount of pesticide required.

Read directions and precautions on label.

1. Remove red cap.

2. Squeeze very gently to fill measuring cup to desired level - squeeze gently.
3. Pour measured amount directly into sprayer. Bottle can be turned upside down safely - only the liquid in the measuring cup will pour out.

DIRECTIONS

Ornamentals: Use of Sevin* at recommended rates is safe on a wide range of plants, shrubs, flowers and trees including roses, carnations, chrysanthemums, zinnias, gladiolus, etc., as well as azalea, pines, birch, maple, elm, oak and dogwood.

NOTE: DO NOT USE ON VIRGINIA CREEPER OR BOSTON IVY.

| CROP | PEST | RATE | COMMENTS |
|---|---|--|--|
| Most outdoor Ornamental and Garden Plants | Bagworm, Birch Leaf Miner, Blister Beetles, Boxelder Bug, Elm Leaf Beetle, Flea Beetle, Japanese Beetle, Lace Bug, Leaf Hopper, Leaf Rollers, Leaf Miners, Plant Bugs, Psyllids, Rose Aphids, Scale Insects, Tent Caterpillars, Willow Leaf Beetle, Thrips (exposed), Gypsy Moths, June Beetles, Mealy Bug, Spruce Budworm. | Apply 6 mL per litre of water | (Repeat every 7-14 days.) Spray to runoff when insects or damage first appears. Spray in early morning or evening. For scale insects, apply when crawlers are present. |
| VEGETABLES* (Use days before harvest) | | | |
| Potato *(7) Tomato *(1) Eggplant*(1) Pepper *(1) | Plant Bugs, Potato Flea Beetle, Colorado Potato Beetle, Tomato Hornworm, Tomato Fruitworm, Leaf Hoppers, Fall Army Worm, European Corn Borer. | Use 35-75 mL in 20 L of water per 100 m ² or spray to runoff in crops listed. | Use low rate for smaller plants or lesser infestations and higher rate for severe infestations. |

| | | | |
|---------------------|---|---|---|
| LAWNS | Chinch Bugs, Leaf Hopper, Fall Army Worm, Millipedes Ants, Earwigs, Fleas, and Mosquitoes | Use 400 mL in 150 L of water per 100 m ² | For best results mow lawn and spray after rain or watering and do not water for two days after application. Use high pressure sprayers for adequate coverage and effectiveness. Repeat every 2-3 weeks if necessary. |
| STRAWBERRIES | | | |
| Strawberries *(1) | Meadow Spittle Bug, Strawberry Leaf Roller. | 7.5 mL per L. of water | Apply to runoff when insects or damage appear. Repeat as necessary. |

SPECIAL NOTES

1. Do not use with alkaline materials such as lime sulphur.
2. This product is compatible with liquid suspensions and wettable powder formulations of many common insecticides and fungicides. **DO NOT MIX** with emulsifiable concentrate formulations.
3. This product is compatible with all miticides but itself does not control spider mites.
4. Young foliage may show some phytotoxicity if application is followed by rain or high humidity.
5. **CAUTION:** Toxic to honeybees. Do not use during bloom or when bees are present.

PRECAUTIONS:

KEEP OUT OF THE REACH OF CHILDREN. Shower or bathe after using. Change to clean clothing daily. Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with skin, eyes or clothing. Wash thoroughly before eating, drinking or smoking. Dispose of empty container in regular garbage. Store above 0E C. Avoid contamination of food or feed. Do not contaminate water supplies.

FIRST AID: DANGER

This product contains a petroleum distillate. DO NOT INDUCE VOMITING. Take label and call a doctor immediately. If on HANDS wash thoroughly with soap and water. If in EYES flush with water and

see a physician.

TOXICOLOGY:

Sevin is a cholinesterase inhibitor. Atropine is antidotal.

*Sevin is a registered trademark of Rhone-Poulenc Nederland B.V.
® T.M. Reg'd

LIQUID SEVIN*

INSECTICIDE SUSPENSION

An Excellent General Control Product for Ornamental
and Garden Pests.

DOMESTIC

GUARANTEE:

carbaryl..... 240 g/L

READ LABEL AND ATTACHED BROCHURE BEFORE USING.

DANGER POISON

REG NO. 19731 P.C.P. ACT

INTERPROVINCIAL COOPERATIVE LIMITED
P.O. BOX 1050, SASKATOON, Saskatchewan S7K 3M9
WINNIPEG MISSISSAUGA MONTREAL MONCTON

RC820-0297

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

