

IPCO®

PREMIUM 3-WAY

TURF HERBICIDE LIQUID

CONTROLS MOST BROADLEAF WEEDS IN TURF ON GOLF COURSES, SOD FARMS AND OTHER LAWN AREAS.

COMMERCIAL

READ THE LABEL AND THE BOOKLET BEFORE USING

GUARANTEE: 2,4-D (Isomer Specific Analysis) 190 g/L

Mecoprop (d-isomer) 100 g/L

Dicamba 18 g/L

All present as Dimethyl Amines

DO NOT FREEZE

REGISTRATION NO: 18948

PEST CONTROL PRODUCTS ACT

NET CONTENTS: 10 litres

CAUTION

POISON

Interprovincial Cooperative Limited, P.O. Box 1050, Saskatoon, Saskatchewan S7K 3M9

® T.M. Reg'd.

RC 843-0304 – 10 Litres

PREMIUM 3-WAY TURF HERBICIDE

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. Avoid contact with skin, eyes or clothing.

Protective Clothing and Equipment: Handling the concentrate (mixing and loading): Wear long-sleeved shirt, long pants, chemical-resistant gloves, socks and shoes, and protective eye wear (face shield or safety glasses). Rinse gloves before removal. Coveralls or a chemical-resistant apron should also be worn when open pouring from containers greater than 5 litres. **Handling the dilute spray solution (during application or repairing or cleaning equipment):** Wear long-sleeved shirt, long pants, chemical-resistant gloves, socks and shoes. Rinse gloves before removal. Gloves are not required during application when applicator is in an enclosed tractor.

Operator-Use Precautions:

Wear freshly laundered clothing and clean protective equipment daily.

Rinse gloves before removal.

Wash hands before eating, drinking, using tobacco or using the toilet.

If herbicide penetrates clothing remove immediately; then wash thoroughly and put on clean clothing. Throw away clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate.

After using this product, remove clothing and launder separately, and promptly and thoroughly wash hands and exposed skin with soap and water. Follow manufacturer's instructions for cleaning personal protective clothing and equipment. If no such instructions for washables are provided, use detergent and hot water. Keep and wash personal protective equipment separate from household laundry.

After work, remove all clothing and shower using soap and water.

General Precautions: Do not contaminate streams, lakes or ponds, irrigation water, water used for livestock or domestic purposes. Do not allow spray, mist or vapours to contact vegetables, fruits or ornamentals. Susceptible plants include cabbage, cauliflower, beans, turnips, tomatoes, and many other broadleaf fruits, ornamentals and vegetables. Do not spray on windy days when susceptible plants are within 400 metres of sprayed area. To avoid spray drift use low pressure and a coarse spray pattern. Do not apply during hot, dry spells. Do not mow for at least three days before spraying. Do not spray if rain is forecast. Do not use a sprayer which has contained Premium 3-Way Turf Herbicide for spraying other pesticides on susceptible crops. Keep in original container. Do not store near seeds, fertilizers, insecticides, fungicides, feed or food. Re-entry intervals for Turf: Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treated areas until spray has thoroughly dried.

FIRST AID

If in eyes, flush with running water for 15 minutes. If on skin, wash thoroughly with soap and water. If swallowed, induce vomiting (syrup of Ipecac is recommended) and get medical attention or contact a poison control centre IMMEDIATELY. Take container,

label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically. Eye irritation may occur on contact. Call a physician or contact a poison control centre IMMEDIATELY.

DISPOSAL OF EMPTY CONTAINER

Do not reuse this container for any purpose. This is a recyclable container, and is to be disposed of at a container collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site. Before taking the container to the collection site:

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Make the empty, rinsed container unsuitable for further use.

If there is no container collection site in your area, dispose of the container in accordance with provincial requirements. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER

This control product is to be used only in accordance with the directions on this label. It is an offense under the *Pest Control Products Act* to use a control product under unsafe conditions.

NOTICE TO BUYER

Seller's guarantee shall be limited to the terms set out on the label and, subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

Go To Page 2

DIRECTIONS

Weeds Controlled: Dandelion, Plantain, Black Medick (yellow clover), Buttercup, Chickweed, Clover, English Daisy, Ground Ivy (Creeping Charlie), Knotweed (Ironweed), Poison Ivy, Ragweed, Shepherd's Purse, Cleavers, Heal-All, Devil's Paint Brush.

DO NOT APPLY BY AIR

Turf: Other than Bent Grass. On established turf, apply at the rate of 60 mL per 100 sq. meters in 10 L of water. For larger areas apply at the rate of 5.5 L per hectare in 300 L water.

Maximum Application Frequency to Turf: For good turf/lawn management, normally two applications per year per treatment site are adequate. This does not include spot treatments.

For best results, apply when weeds are growing quickly: May and early June, and late in August and September. On irrigated or watered areas where weeds are not under drought stress and hard to kill, apply any time. Application during drought or when weeds are under stress will result in poorer control. Do not water turf within 24 hours of application. Do not apply to newly seeded lawns. Wait until after the third mowing.

Grass seed can be safely sown 1-2 weeks after application at recommended rate.

For Bent Grass: Apply at a half rate – 30 mL per 100 sq. meters in May or late August and September. Slight yellowing will occur but will disappear after about 1 week. Do not overdose Bent Grass as damage or kill may occur. Make sure correct rate is applied to the whole area treated. Use 20 L of water per 100 sq. meters. When spraying Bent Grass use only a one-nozzle sprayer. Make sure spray application does not overlap or excess material will be applied to overlapped areas and damage is more likely to occur.

Transfer System: For containers larger than 20 litres, use a direct transfer system that avoids open pouring when transferring the liquid concentrate from such containers into the spray tank.

NOTICE TO USER

This control product is to be used only in accordance with the directions on this label. It is an offense under the *Pest Control Products Act* to use a control product under unsafe conditions.

NOTICE TO BUYER

Seller's guarantee shall be limited to the terms set out on the label and, subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

(Base Label)

**PREMIUM 3-WAY
TURF HERBICIDE**

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. Avoid contact with skin, eyes or clothing.

Protective Clothing and Equipment: Handling the concentrate (mixing and loading): Wear long-sleeved shirt, long pants, chemical-resistant gloves, socks and shoes, and protective eye wear (face shield or safety glasses). Rinse gloves before removal. Coveralls or a chemical-resistant apron should also be worn when open pouring from containers greater than 5 litres. **Handling the dilute spray solution (during application or repairing or cleaning equipment):** Wear long-sleeved shirt, long pants, chemical-resistant gloves, socks and shoes. Rinse gloves before removal. Gloves are not required during application when applicator is in an enclosed tractor.

Operator-Use Precautions:

Wear freshly laundered clothing and clean protective equipment daily.

Rinse gloves before removal.

Wash hands before eating, drinking, using tobacco or using the toilet.

If herbicide penetrates clothing remove immediately; then wash thoroughly and put on clean clothing. Throw away clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate.

After using this product, remove clothing and launder separately, and promptly and thoroughly wash hands and exposed skin with soap and water. Follow manufacturer's instructions for cleaning personal protective clothing and equipment. If no such instructions for washables are provided, use detergent and hot water. Keep and wash personal protective equipment separate from household laundry.

After work, remove all clothing and shower using soap and water.

General Precautions: Do not contaminate streams, lakes or ponds, irrigation water, water used for livestock or domestic purposes. Do not allow spray, mist or vapours to contact vegetables, fruits or ornamentals. Susceptible plants include cabbage, cauliflower, beans, turnips, tomatoes, and many other broadleaf fruits, ornamentals and vegetables. Do not spray on windy days when susceptible plants are within 400 metres of sprayed area. To avoid spray drift use low pressure and a coarse spray pattern. Do not apply during hot, dry spells. Do not mow for at least three days before spraying. Do not spray if rain is forecast. Do not use a sprayer which has contained Premium 3-Way Turf Herbicide for spraying other pesticides on susceptible crops. Keep in original container. Do not store near seeds, fertilizers, insecticides, fungicides, feed or food. Re-entry intervals for Turf: Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treated areas until spray has thoroughly dried.

FIRST AID

If in eyes, flush with running water for 15 minutes. If on skin, wash thoroughly with soap and water. If swallowed, induce vomiting (syrup of Ipecac is recommended) and get medical attention or contact a poison control centre IMMEDIATELY. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically. Eye irritation may occur on contact. Call a physician or contact a poison control centre IMMEDIATELY.

DISPOSAL OF EMPTY CONTAINER

Do not reuse this container for any purpose. This is a recyclable container, and is to be disposed of at a container collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site. Before taking the container to the collection site:

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Make the empty, rinsed container unsuitable for further use.

If there is no container collection site in your area, dispose of the container in accordance with provincial requirements. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER

This control product is to be used only in accordance with the directions on this label. It is an offense under the *Pest Control Products Act* to use a control product under unsafe conditions.

NOTICE TO BUYER

Seller's guarantee shall be limited to the terms set out on the label and, subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

RC 838-0304

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.