ACTERGE

DISINFECTANT-CLEANER SANITIZER-FUNGICIDE MILDEWSTAT-VIRUCIDE-DEODORIZER

Effective in hard water up to 400 ppm hardness (calculated as CaC03) in the presence of 5% serum contamination.

COMMERCIAL

WARNING

POISON

CORROSIVE

READ THE LABEL BEFORE USING

REGISTRATION NO. 23092 PEST CONTROL PRODUCTS ACT

GUARANTEE:

Alkyl (40% C12, 50% C14, 10% C16) dimethyl benzyl ammonium chloride.....2.200% Octyl decyl dimethyl ammonium chloride.....1.650% Dioctyl dimethyl ammonium chloride.....0.660% Didecyl dimethyl ammonium chloride.....0.990%

NET CONTENTS: LOT

C.P. INDUSTRIES LTD. 225 BLACK ST., FERGUS, ONTARIO N1M 1A5

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

DIRECTIONS FOR USE:

Apply ACTERGE to walls, floors and other hard (inanimate) non-porous surfaces such as tables, chairs, countertops, sinks, tile, porcelain, and bedframes with a cloth, mop so as to thoroughly wet surfaces. For heavily soiled areas, a preliminary cleaning is required. Prepare a fresh solution daily or when use solution becomes visibly dirty.

DISINFECTION: to disinfect hard, non-porous surfaces, add 16 mL/L of water. Treated surfaces must remain wet for 10 minutes. At this use level, ACTERGE is also virucidal, fungicidal, and fungistatic.

SANITIZING: To sanitize non-porous, non-food contact surfaces, add 3 mL/L of water. Treated surfaces must remain wet for 60 seconds.

TOXICOLOGICAL INFORMATION: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

PRECAUTIONARY STATEMENTS: KEEP OUT OF REACH OF CHILDREN. Danger - Corrosive to eyes. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food.

FIRST-AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

DISPOSAL:

- 1. Rinse the emptied container thoroughly and add the rinsings to treatment site.
- 2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal or reconditioning.
- 3. Dispose of the container in accordance with provincial requirements.
- 4. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of Environment Canada.
- 5. For small spills. Recover free liquid. Soak up residue with solids absorbent. DO NOT FLUSH INTO SURFACE STREAMS. INFORM ENVIRONMENT CANADA AS IN #4.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))